

## Index of 549 Previously Extended Exclusions

### List 1

| U.S. Note for Granted Exclusion | FRN Citation Granted Exclusion | U.S. Note for Extended Exclusion | FRN Citation Extended Exclusion | Exclusion Product Description  |
|---------------------------------|--------------------------------|----------------------------------|---------------------------------|--|
| 20(h)(2)                        | 83 FR 67463 (Dec. 28, 2018)    | 20(h)(2)                         | 84 FR 70616 (Dec. 23, 2019)     | 8418.69.0120   |
| 20(h)(7)                        | 83 FR 67463 (Dec. 28, 2018)    | 20(h)(7)                         | 84 FR 70616 (Dec. 23, 2019)     | 8525.60.1010   |
| 20(h)(11)                       | 83 FR 67463 (Dec. 28, 2018)    | 20(h)(11)                        | 84 FR 70616 (Dec. 23, 2019)     | Roller machines with dies for embossing paper, manually powered (described in statistical reporting number 8420.10.9080)   |
| 20(h)(29)                       | 83 FR 67463 (Dec. 28, 2018)    | 20(h)(29)                        | 84 FR 70616 (Dec. 23, 2019)     | Angle cock handle assemblies, of iron and steel, each measuring 11.43 cm by 21.59 cm by 5.08 cm and weighing 0.748 kg (described in statistical reporting number 8481.90.9040)                           |
| 20(h)(30)                       | 83 FR 67463 (Dec. 28, 2018)    | 20(h)(30)                        | 84 FR 70616 (Dec. 23, 2019)     | Radiation therapy systems, each encased by steel-based structural shell with gantry cover comprising three pairs of plastics-based panels (described in statistical reporting number 9022.14.0000)       |
| 20(h)(31)                       | 83 FR 67463 (Dec. 28, 2018)    | 20(h)(31)                        | 84 FR 70616 (Dec. 23, 2019)     | Thermostats designed for air conditioning or heating systems, not designed to connect to the internet, the foregoing designed for wall mounting (described in statistical reporting number 9032.10.0030) |
| 20(i)(1)                        | 84 FR 11152 (Mar. 25, 2019)    | 20(i)(1)                         | 85 FR 15849 (Mar. 19, 2020)     | 8412.21.0045   |
| 20(i)(3)                        | 84 FR 11152 (Mar. 25, 2019)    | 20(i)(3)                         | 85 FR 15849 (Mar. 19, 2020)     | 8607.21.1000   |
| 20(i)(5)                        | 84 FR 11152 (Mar. 25, 2019)    | 20(i)(5)                         | 85 FR 15849 (Mar. 19, 2020)     | Breast pumps, whether or not with accessories or batteries (described in statistical reporting number 8413.81.0040)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(i)(10)                             | 84 FR 11152 (Mar. 25, 2019)       | 20(i)(10)                              | 85 FR 15849 (Mar. 19, 2020)        | Machinery for filtering water, submersible, powered by batteries, manually operated, such machinery designed for use in pools, basins, aquariums, spas or similar contained bodies of water (described in statistical reporting number 8421.21.0000)      |
| 20(i)(13)                             | 84 FR 11152 (Mar. 25, 2019)       | 20(i)(13)                              | 85 FR 15849 (Mar. 19, 2020)        | Hand-held ultraviolet water purifiers, powered by batteries (described in statistical reporting number 8421.21.0000)  |
| 20(i)(14)                             | 84 FR 11152 (Mar. 25, 2019)       | 20(i)(14)                              | 85 FR 15849 (Mar. 19, 2020)        | Filters designed to remove sulfites from wine (described in statistical reporting number 8421.22.0000)  |
| 20(i)(15)                             | 84 FR 11152 (Mar. 25, 2019)       | 20(i)(15)                              | 85 FR 15849 (Mar. 19, 2020)        | Filter housings, covers, or couplings, the foregoing of steel and comprising parts of machinery or apparatus for filtering liquids (described in statistical reporting number 8421.99.0040)   |
| 20(i)(17)                             | 84 FR 11152 (Mar. 25, 2019)       | 20(i)(17)                              | 85 FR 15849 (Mar. 19, 2020)        | Vulcanized rubber tracks, each incorporating cords and cleats of steel, designed for use on construction equipment (described in statistical reporting number 8431.49.9095)   |
| 20(i)(19)                             | 84 FR 11152 (Mar. 25, 2019)       | 20(i)(19)                              | 85 FR 15849 (Mar. 19, 2020)        | Automated data processing storage units (other than magnetic disk drive units), not assembled in cabinets for placing on a table or similar place, not presented with any other unit of a system (described in statistical reporting number 8471.70.6000) |
| 20(i)(23)                             | 84 FR 11152 (Mar. 25, 2019)       | 20(i)(23)                              | 85 FR 15849 (Mar. 19, 2020)        | Electric motors, AC, permanent split capacitor type, each in a housing with outside diameter of 84 mm or less, with output of 6 W or more but not exceeding 16 W (described in statistical reporting number 8501.10.4020)                                 |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(i)(32)                             | 84 FR 11152 (Mar. 25, 2019)       | 20(i)(32)                              | 85 FR 15849 (Mar. 19, 2020)        | Inoculator sets of plastics, each consisting of a plate with multiple wells, a display tray, and a lid; when assembled, the set measuring 105 mm or more but not exceeding 108 mm in width, 138 mm or more but not exceeding 140 mm in depth, and 6.5 mm or less in thickness (described in statistical reporting number 9027.90.5650) |
| 20(j)(2)                              | 84 FR 16310 (Apr. 18, 2019)       | 20(j)(2)                               | 85 FR 20332 (Apr. 10, 2020)        | Roller machines designed for cutting, etching or embossing paper, foil or fabric, manually powered (described in statistical reporting number 8420.10.9080)  |
| 20(j)(4)                              | 84 FR 16310 (Apr. 18, 2019)       | 20(j)(4)                               | 85 FR 20332 (Apr. 10, 2020)        | Ratchet winches designed for use with textile fabric strapping (described in statistical reporting number 8425.39.0100)  |
| 20(j)(6)                              | 84 FR 16310 (Apr. 18, 2019)       | 20(j)(6)                               | 85 FR 20332 (Apr. 10, 2020)        | Counterweight castings of iron or steel designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)  |
| 20(j)(7)                              | 84 FR 16310 (Apr. 18, 2019)       | 20(j)(7)                               | 85 FR 20332 (Apr. 10, 2020)        | Tines, carriages, and other goods handling apparatus and parts designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   |
| 20(j)(11)                             | 84 FR 16310 (Apr. 18, 2019)       | 20(j)(11)                              | 85 FR 20332 (Apr. 10, 2020)        | Reject doors, pin protectors, liners, front walls, grates, hammers, rotor and end disc caps, and anvil and breaker bars, of iron or steel, the foregoing parts of metal shredders (described in statistical reporting number 8479.90.9496)   |
| 20(j)(12)                             | 84 FR 16310 (Apr. 18, 2019)       | 20(j)(12)                              | 85 FR 20332 (Apr. 10, 2020)        | Steering wheels designed for watercraft, of stainless steel, having a wheel diameter exceeding 27 cm but not exceeding 78 cm (described in statistical reporting number 8479.90.9496)  |
| 20(j)(14)                             | 84 FR 16310 (Apr. 18, 2019)       | 20(j)(14)                              | 85 FR 20332 (Apr. 10, 2020)        | Pipe brackets of aluminum, each with 4 ports, the foregoing measuring 27.9 cm x 20.3 cm x 17.8 cm and weighing 11.34 kg, designed for installation into air brake control valves (described in statistical reporting number 8481.90.9040)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(j)(21)                             | 84 FR 16310 (Apr. 18, 2019)       | 20(j)(21)                              | 85 FR 20332 (Apr. 10, 2020)        | Instruments for measuring or checking voltage or electrical connections; electrical circuit tracers (described in statistical reporting number 9030.33.3800) |
| 20(k)(4)                              | 84 FR 21389 (May 14, 2019)        | 20(k)(4)                               | 85 FR 29503 (May 15, 2020)         | 8481.10.0090   |
| 20(k)(5)                              | 84 FR 21389 (May 14, 2019)        | 20(k)(5)                               | 85 FR 29503 (May 15, 2020)         | 8483.50.9040   |
| 20(k)(8)                              | 84 FR 21389 (May 14, 2019)        | 20(k)(8)                               | 85 FR 29503 (May 15, 2020)         | Filtering or purifying machinery or apparatus of a kind used for waste water treatment (described in statistical reporting number 8421.21.0000)              |
| 20(k)(11)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(11)                              | 85 FR 29503 (May 15, 2020)         | Air purification equipment, electrically powered, weighing less than 36 kg (described in statistical reporting number 8421.39.8015)                          |
| 20(k)(18)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(18)                              | 85 FR 29503 (May 15, 2020)         | Armatures designed for use in hydraulic solenoid valves (described in statistical reporting number 8481.90.9040)   |
| 20(k)(19)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(19)                              | 85 FR 29503 (May 15, 2020)         | C-poles, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)                            |
| 20(k)(21)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(21)                              | 85 FR 29503 (May 15, 2020)         | Metering spools, of aluminum, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)                 |
| 20(k)(22)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(22)                              | 85 FR 29503 (May 15, 2020)         | Metering spools, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)                    |
| 20(k)(23)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(23)                              | 85 FR 29503 (May 15, 2020)         | Poles, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)                              |
| 20(k)(24)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(24)                              | 85 FR 29503 (May 15, 2020)         | Push pins, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)                          |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(k)(25)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(25)                              | 85 FR 29503 (May 15, 2020)         | Retainers, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)   |
| 20(k)(38)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(38)                              | 85 FR 29503 (May 15, 2020)         | Stereoscopic microscopes, not provided with a means for photographing the image, valued not over \$500 per unit (described in statistical reporting number 9011.10.8000)  |
| 20(k)(39)                             | 84 FR 21389 (May 14, 2019)        | 20(k)(39)                              | 85 FR 29503 (May 15, 2020)         | Adapter rings, tubes and extension sleeves, stands and arm assemblies, stages and gliding tables, eyeguards and focusing racks, all the foregoing designed for use with compound optical microscopes (described in statistical reporting number 9011.90.0000) |
| 20(m)(3)                              | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(1)                             | 85 FR 33775 (Jul. 2, 2020)         | Oil well and oil field crank-balanced, long-stroke and beam pumps (described in statistical reporting number 8413.50.0010)  |
| 20(m)(6)                              | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(2)                             | 85 FR 33775 (Jul. 2, 2020)         | Centrifugal pumps, submersible, other than for use with machines for making cellulosic pulp, paper or paperboard; the foregoing pumps rated not over 1.5 KW (described in statistical reporting number 8413.70.2004)  |
| 20(m)(9)                              | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(3)                             | 85 FR 33775 (Jul. 2, 2020)         | Submersible pump incorporating a magnetic drive motor (described in statistical reporting number 8413.70.2004)  |
| 20(m)(13)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(4)                             | 85 FR 33775 (Jul. 2, 2020)         | Centrifugal pumps designed for eliminating condensate, the foregoing not elsewhere specified or included (described in statistical reporting number 8413.70.2090)   |
| 20(m)(14)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(5)                             | 85 FR 33775 (Jul. 2, 2020)         | Housings for water pumps of subheading 8413.30.90 (as described in subheading 8413.91.9010)   |
| 20(m)(22)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(6)                             | 85 FR 33775 (Jul. 2, 2020)         | Solar water heaters incorporating glass tube heat collectors and including glass tubes and stands with tanks (described in statistical reporting number 8419.19.0040)   |
| 20(m)(24)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(7)                             | 85 FR 33775 (Jul. 2, 2020)         | Heat exchanger plates, cores, finned tubes, cones, shells, bonnets, flanges and baffles (described in statistical reporting number 8419.90.3000)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(m)(28)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(8)                             | 85 FR 33775 (Jul. 2, 2020)         | Garage door opener/closers (described in statistical reporting number 8428.90.0290)  |
| 20(m)(34)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(9)                             | 85 FR 33775 (Jul. 2, 2020)         | Pile drivers, diesel powered (described in statistical reporting number 8430.10.0000)  |
| 20(m)(42)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(10)                            | 85 FR 33775 (Jul. 2, 2020)         | Welded frames designed to support conveyor rollers (described in statistical reporting number 8431.39.0010)  |
| 20(m)(50)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(11)                            | 85 FR 33775 (Jul. 2, 2020)         | Coupling covers, including center members, flanged hubs, sleeves and shoes (described in statistical reporting number 8483.90.8010)  |
| 20(m)(51)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(12)                            | 85 FR 33775 (Jul. 2, 2020)         | AC multi-phase motors, each of an output exceeding 300 kW but not exceeding 310 kW, fitted with pulleys and brakes to raise and lower passenger elevators (described in statistical reporting number 8501.53.8040)   |
| 20(m)(52)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(13)                            | 85 FR 33775 (Jul. 2, 2020)         | Regenerative speed drive controllers for controlling speed of electric motors for elevators (described in statistical reporting number 8504.40.4000)   |
| 20(m)(53)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(14)                            | 85 FR 33775 (Jul. 2, 2020)         | Speed drive controllers for electric motors, each such controller measuring 100 mm or more but not over 130 mm in length, 40 mm or more but not over 125 mm in width and 24 mm or more but not over 85 mm in height (described in statistical reporting number 8504.40.4000) |
| 20(m)(62)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(15)                            | 85 FR 33775 (Jul. 2, 2020)         | Projector parts (described in statistical reporting number 8529.90.9900)   |
| 20(m)(88)                             | 84 FR 25895 (Jun. 4, 2019)        | 20(ccc)(16)                            | 85 FR 33775 (Jul. 2, 2020)         | Disposable surface electrodes for Intra-operative neuromonitoring ("IONM") systems, each composed of a surface electrode pad, an insulated wire, and a standard DIN 42802 connector (described in statistical reporting number 9018.19.9560)                                 |
| 20(n)(8)                              | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(1)                             | 85 FR 41267 (Jul. 9, 2020)         | Direct acting and spring return pneumatic actuators, each rated at a maximum pressure of 10 bar and valued over \$68 but not over \$72 per unit (described in statistical reporting number 8412.39.0080)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(n)(17)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(2)                             | 85 FR 41267 (Jul. 9, 2020)         | Pump casings and bodies (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)                           |
| 20(n)(18)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(3)                             | 85 FR 41267 (Jul. 9, 2020)         | Pump covers (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)                                       |
| 20(n)(23)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(4)                             | 85 FR 41267 (Jul. 9, 2020)         | Pump parts, of plastics, each valued not over \$3 (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020) |
| 20(n)(28)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(5)                             | 85 FR 41267 (Jul. 9, 2020)         | Compressors, other than screw type, used in air conditioning equipment in motor vehicles, each valued over \$88 but not over \$92 per unit (described in statistical reporting number 8414.30.8030)   |
| 20(n)(77)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(6)                             | 85 FR 41267 (Jul. 9, 2020)         | Structural components for industrial furnaces (described in statistical reporting number 8514.90.8000)  |
| 20(n)(85)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(7)                             | 85 FR 41267 (Jul. 9, 2020)         | Aluminum electrolytic capacitors, each valued not over \$3.20 (described in statistical reporting number 8532.22.0085)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(n)(87)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(8)                             | 85 FR 41267 (Jul. 9, 2020)         | Rotary switches, rated at over 5 A, measuring not more than 5.5 cm by 5.0 cm by 3.4 cm, each with 2 to 8 spade terminals and an actuator shaft with D-shaped cross section (described in statistical reporting number 8536.50.9025)   |
| 20(n)(88)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(9)                             | 85 FR 41267 (Jul. 9, 2020)         | Rotary switches, single pole, single throw (SPST), rated at over 5 A, each measuring not more than 14.6 cm by 8.9 cm by 14.1 cm (described in statistical reporting number 8536.50.9025)  |
| 20(n)(97)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(10)                            | 85 FR 41267 (Jul. 9, 2020)         | Zinc anodes for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)  |
| 20(n)(98)                             | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(11)                            | 85 FR 41267 (Jul. 9, 2020)         | Weather station sets, each consisting of a monitoring display and outdoor weather sensors, having a transmission range of not over 140 m and valued not over \$50 per set (described in statistical reporting number 9015.80.8080)  |
| 20(n)(106)                            | 84 FR 32821 (Jul. 9, 2019)        | 20(eee)(12)                            | 85 FR 41267 (Jul. 9, 2020)         | Multi-leaf collimators of radiotherapy systems based on the use of X-ray (described in statistical reporting number 9022.90.6000)   |
| 20(q)(9)                              | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(1)                             | FR 85 59587 (Sept. 22, 2020)       | Submersible centrifugal pumps (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines; other than stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard), not fitted or designed to be fitted with a measuring device, the foregoing capable of operating at 3,700 liters or more but not exceeding 41,000 liters per hour (described in statistical reporting number 8413.70.2004) |



| U.S. Note for Granted Exclusion | FRN Citation Granted Exclusion | U.S. Note for Extended Exclusion | FRN Citation Extended Exclusion | Exclusion Product Description   |
|---------------------------------|--------------------------------|----------------------------------|---------------------------------|---|
| 20(q)(11)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(2)                       | FR 85 59587 (Sept. 22, 2020)    | Tabletop water fountains designed for indoor use, the essential character of which is imparted by submersible centrifugal pumps (described in statistical reporting number 8413.70.2004)                                    |
| 20(q)(25)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(3)                       | FR 85 59587 (Sept. 22, 2020)    | Rotary compressors, each exceeding 746 W but not exceeding 2,238 W, with a cooling capacity ranging from 2.3 kW to 5.5 kW (described in statistical reporting number 8414.30.8060)  |
| 20(q)(46)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(4)                       | FR 85 59587 (Sept. 22, 2020)    | Thermal roll laminators, each valued not over \$450 (described in statistical reporting number 8420.10.9040)  |
| 20(q)(47)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(5)                       | FR 85 59587 (Sept. 22, 2020)    | Cutting pads, platforms, base plates, pads, shims, trays, which function as guides for hand-operated table-top calendering machines of a width not exceeding 51 cm (described in statistical reporting number 8420.99.9000) |
| 20(q)(51)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(6)                       | FR 85 59587 (Sept. 22, 2020)    | Ionization filters valued over \$35 but not over \$45 each (described in statistical reporting number 8421.21.0000)   |
| 20(q)(61)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(7)                       | FR 85 59587 (Sept. 22, 2020)    | Disposable plastic filters of a kind suitable for filtering and dehumidifying a patient's breath in a medical device such as a gas analyzer (described in statistical reporting number 8421.39.8090)                        |
| 20(q)(64)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(8)                       | FR 85 59587 (Sept. 22, 2020)    | Parts of swimming pool vacuum cleaners (described in statistical reporting number 8421.99.0040)   |
| 20(q)(70)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(9)                       | FR 85 59587 (Sept. 22, 2020)    | 3-member slides with ball bearings, of stainless steel, for use in household dishwashers (described in statistical reporting number 8422.90.0640)   |
| 20(q)(82)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(10)                      | FR 85 59587 (Sept. 22, 2020)    | Shovel loaders, each with a bucket capacity of 11.4 m3 to 12 m3, and an operating weight of 30,000 kg or more but not exceeding 36,000 kg (described in statistical reporting number 8429.51.1055)                          |
| 20(q)(96)                       | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(11)                      | FR 85 59587 (Sept. 22, 2020)    | Animal feeding machinery (described in statistical reporting number 8436.80.0090)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(q)(97)                             | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(12)                            | FR 85 59587 (Sept. 22, 2020)       | Parts of animal feeding machinery (described in statistical reporting number 8436.99.0090)   |
| 20(q)(99)                             | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(13)                            | FR 85 59587 (Sept. 22, 2020)       | Ink cartridges, each weighing more than 1 kg (described in statistical reporting number 8443.99.2010)  |
| 20(q)(101)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(14)                            | FR 85 59587 (Sept. 22, 2020)       | Printer maintenance kits consisting of two or more replacement parts for printer units of subheading 8443.32.10 specified in additional U.S. note 2 to chapter 84 (described in statistical reporting number 8443.99.2050) |
| 20(q)(104)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(15)                            | FR 85 59587 (Sept. 22, 2020)       | Horizontal lathes for removing metal, electrically powered, not numerically controlled, each with mill head attachment mounted above the lathe headstock (described in statistical reporting number 8458.19.0020)          |
| 20(q)(106)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(16)                            | FR 85 59587 (Sept. 22, 2020)       | New numerically-controlled milling machines capable of end beveling pipe of an outside diameter of 60 cm or more but not exceeding 305 cm (described in statistical reporting number 8459.61.0080)                         |
| 20(q)(108)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(17)                            | FR 85 59587 (Sept. 22, 2020)       | Press brakes, not numerically controlled, having a drive capacity rating of 3kW (described in statistical reporting number 8462.29.0030)   |
| 20(q)(109)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(18)                            | FR 85 59587 (Sept. 22, 2020)       | New hydraulic shearing machines, not numerically controlled, with a power of 7.5 kW, valued at \$3,025 or more each (described in statistical reporting number 8462.39.0050)   |
| 20(q)(114)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(19)                            | FR 85 59587 (Sept. 22, 2020)       | Tool holders of a kind used to hold various types of metal working tools for use on milling machine spindles (described in statistical reporting number 8466.10.0175)  |
| 20(q)(130)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(20)                            | FR 85 59587 (Sept. 22, 2020)       | Modularized plants for the manufacture of lithium hydroxide by functions involving mixing, kneading or stirring (described in statistical reporting number 8479.82.0040)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(q)(141)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(21)                            | FR 85 59587 (Sept. 22, 2020)       | Ball type angle cock valve bodies, of cast iron, for oleohydraulic or pneumatic transmissions (described in statistical reporting number 8481.90.9020)   |
| 20(q)(142)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(22)                            | FR 85 59587 (Sept. 22, 2020)       | Valve bodies, of aluminum, of valves for oleohydraulic or pneumatic transmissions (described in statistical reporting number 8481.90.9020)   |
| 20(q)(143)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(23)                            | FR 85 59587 (Sept. 22, 2020)       | Hydraulic valve parts, other than valve bodies, of valves for oleohydraulic or pneumatic transmissions, each valued not over \$5 (described in statistical reporting number 8481.90.9040)  |
| 20(q)(148)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(24)                            | FR 85 59587 (Sept. 22, 2020)       | Angular contact ball bearings, not for use with wheel hub bearing units, having an inner diameter of 25 mm or greater but not exceeding 55 mm, an outer diameter of 50 mm or greater but not exceeding 95 mm, a width of 20 mm or greater but not exceeding 35 mm, with single or double row of steel balls and a cage of steel or plastics (described in statistical reporting number 8482.10.5028) |
| 20(q)(149)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(25)                            | FR 85 59587 (Sept. 22, 2020)       | Angular contact ball bearings, not over 40 mm in width, other than wheel hub bearing units (described in statistical reporting number 8482.10.5028)  |
| 20(q)(169)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(26)                            | FR 85 59587 (Sept. 22, 2020)       | Electric motors, AC, permanent split capacitor type, not exceeding 16 W (described in statistical reporting number 8501.10.4020)   |
| 20(q)(179)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(27)                            | FR 85 59587 (Sept. 22, 2020)       | DC motors, of an output exceeding 37.5 W but not exceeding 74.6 W, valued over \$2 but not over \$30 each (described in statistical reporting number 8501.31.2000)   |
| 20(q)(185)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(28)                            | FR 85 59587 (Sept. 22, 2020)       | AC motors, multi-phase, of rolled steel frame construction (described in statistical reporting number 8501.51.4040)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(q)(188)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(29)                            | FR 85 59587 (Sept. 22, 2020)       | AC motors, multi-phase, of an output of 186.5 kW or more but not exceeding 373 kW, having a cast iron frame construction (described in statistical reporting number 8501.53.8040)                               |
| 20(q)(198)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(30)                            | FR 85 59587 (Sept. 22, 2020)       | Dual layer printed circuit board assemblies, each valued over \$30 but not over \$35 (described in statistical reporting number 8504.90.7500)   |
| 20(q)(210)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(31)                            | FR 85 59587 (Sept. 22, 2020)       | Transceivers, 10-meter, not hand-held, for operation in infrequencies of 28.000 to 29.700 MHz (described in statistical reporting number 8525.60.1050)  |
| 20(q)(232)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(32)                            | FR 85 59587 (Sept. 22, 2020)       | Limit switches, for a voltage not exceeding 1,000 V, each valued over \$19 but not over \$32 (described in statistical reporting number 8536.50.9055)   |
| 20(q)(234)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(33)                            | FR 85 59587 (Sept. 22, 2020)       | Modular light switches, for a voltage not exceeding 1,000 V, presented in polyethylene terephthalate (PET) housings, designed for use with a backplate (described in statistical reporting number 8536.50.9065) |
| 20(q)(236)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(34)                            | FR 85 59587 (Sept. 22, 2020)       | Switches designed for use in motor vehicles, driver or passenger activated (described in statistical reporting number 8536.50.9065)   |
| 20(q)(237)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(35)                            | FR 85 59587 (Sept. 22, 2020)       | Coaxial connectors, for a voltage not exceeding 1,000 V, valued over \$0.20 but not over \$0.30 each (described in statistical reporting number 8536.69.4010)   |
| 20(q)(244)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(36)                            | FR 85 59587 (Sept. 22, 2020)       | Butt splice connectors, for a voltage not exceeding 1,000 V, each valued not over \$3 (described in statistical reporting number 8536.90.4000)  |
| 20(q)(247)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(37)                            | FR 85 59587 (Sept. 22, 2020)       | Ring terminals, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)  |
| 20(q)(248)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(38)                            | FR 85 59587 (Sept. 22, 2020)       | Twist-on wire connectors, for a voltage not exceeding 1,000 V, each valued not over \$0.03 (described in statistical reporting number 8536.90.4000)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(q)(254)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(39)                            | FR 85 59587 (Sept. 22, 2020)       | S-band and X-band linear accelerators designed for use in radiation surgery or radiation therapy equipment (described in statistical reporting number 8543.10.0000)   |
| 20(q)(262)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(40)                            | FR 85 59587 (Sept. 22, 2020)       | Four-wheel off-road vehicles, with only spark-ignition internal combustion reciprocating piston engines, of a cylinder capacity not exceeding 1,000 cc, with straddle seat and handlebar control, each with label indicating that vehicle is for operation only by persons at least 16 years of age, each valued not over \$5000 (described in statistical reporting number 8703.21.0110) |
| 20(q)(263)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(41)                            | FR 85 59587 (Sept. 22, 2020)       | Works trucks, electrical, operator riding, each of a curb weight exceeding 8,500 kg but not exceeding 9,500 kg (described in statistical reporting number 8709.11.0030)   |
| 20(q)(272)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(42)                            | FR 85 59587 (Sept. 22, 2020)       | Depth-sounding apparatus, each valued not over \$50 (described in statistical reporting number 9014.80.2000)  |
| 20(q)(274)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(43)                            | FR 85 59587 (Sept. 22, 2020)       | Disposable electrocardiograph (ECG) electrodes (described in statistical reporting number 9018.11.9000)   |
| 20(q)(275)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(44)                            | FR 85 59587 (Sept. 22, 2020)       | Portable ultrasonic scanner consoles, each weighing less than 4 kg, presented with or without transducer (described in statistical reporting number 9018.12.0000)   |
| 20(q)(276)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(45)                            | FR 85 59587 (Sept. 22, 2020)       | Digital peak flow meters suitable for use by medical professionals (described in statistical reporting number 9018.19.9550)   |
| 20(q)(277)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(46)                            | FR 85 59587 (Sept. 22, 2020)       | Fingertip pulse oximeters suitable for use by medical professionals (described in statistical reporting number 9018.19.9550)  |
| 20(q)(278)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(47)                            | FR 85 59587 (Sept. 22, 2020)       | Bismuth germanate crystals with set dimensional and surface finish requirements and used as a detection element in Positron Emission Tomography (PET) detectors (described in statistical reporting number 9018.19.9560)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(q)(279)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(48)                            | FR 85 59587 (Sept. 22, 2020)       | Magnetic resonance imaging ("MRI") patient enclosure devices, each incorporating radio frequency and gradient coils (described in statistical reporting number 9018.19.9560)   |
| 20(q)(280)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(49)                            | FR 85 59587 (Sept. 22, 2020)       | Parts and accessories of capnography monitors (described in statistical reporting number 9018.19.9560)   |
| 20(q)(281)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(50)                            | FR 85 59587 (Sept. 22, 2020)       | Otosopes (described in statistical reporting number 9018.90.2000)  |
| 20(q)(282)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(51)                            | FR 85 59587 (Sept. 22, 2020)       | Anesthesia masks (described in statistical reporting number 9018.90.3000)  |
| 20(q)(283)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(52)                            | FR 85 59587 (Sept. 22, 2020)       | Electrosurgical cautery pencils with electrical connectors (described in statistical reporting number 9018.90.6000)  |
| 20(q)(284)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(53)                            | FR 85 59587 (Sept. 22, 2020)       | Printed circuit board assemblies designed for use in displaying operational performance of medical infusion equipment (described in statistical reporting number 9018.90.7580)   |
| 20(q)(285)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(54)                            | FR 85 59587 (Sept. 22, 2020)       | X-ray tables (described in statistical reporting number 9022.90.2500)  |
| 20(q)(286)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(55)                            | FR 85 59587 (Sept. 22, 2020)       | X-ray tube housings and parts thereof (described in statistical reporting number 9022.90.4000)   |
| 20(q)(287)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(56)                            | FR 85 59587 (Sept. 22, 2020)       | Parts and accessories, of metal, for mobile X-ray apparatus (described in statistical reporting number 9022.90.6000)   |
| 20(q)(288)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(57)                            | FR 85 59587 (Sept. 22, 2020)       | Printed circuit board assemblies, of a kind designed for use in X-ray apparatus (described in statistical reporting number 9022.90.6000)   |
| 20(q)(290)                            | 84 FR 49564 (Sept. 20, 2019)      | 20(kkk)(58)                            | FR 85 59587 (Sept. 22, 2020)       | Vertical stands specially designed to support, contain or adjust the movement of X-ray digital detectors, or the X-ray tube and collimator in complete X-ray diagnostic systems (described in statistical reporting number 9022.90.6000) |

| U.S. Note for Granted Exclusion | FRN Citation Granted Exclusion | U.S. Note for Extended Exclusion | FRN Citation Extended Exclusion | Exclusion Product Description  |
|---------------------------------|--------------------------------|----------------------------------|---------------------------------|--|
| 20(q)(291)                      | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(59)                      | FR 85 59587 (Sept. 22, 2020)    | Thermoplastic masks of polycaprolactone for the use of immobilizing patients, during the use of alpha, beta or gamma radiations, for radiography or radiotherapy (described in statistical reporting number 9022.90.9500)  |
| 20(q)(303)                      | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(60)                      | FR 85 59587 (Sept. 22, 2020)    | Automatic thermostats for heating, ventilation and air conditioning systems, containing temperature and humidity sensors, designed for wall mounting (described in statistical reporting number 9032.10.0030)  |
| 20(q)(306)                      | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(61)                      | FR 85 59587 (Sept. 22, 2020)    | Battery balancers designed for regulating voltage across batteries, other than for 6, 12 or 24 volt systems (described in statistical reporting number 9032.89.4000)   |
| 20(q)(310)                      | 84 FR 49564 (Sept. 20, 2019)   | 20(kkk)(62)                      | FR 85 59587 (Sept. 22, 2020)    | Thermostat covers (described in statistical reporting number 9032.90.6120)   |
| 20(x)(8)                        | 84 FR 52567 (Oct. 2, 2019)     | 20(mmm)(2)                       | 85 FR 62782 (Oct. 5, 2020)      | Chemically etched dies of steel, steel-rule cutting dies, movable magnetic dies, embossing folders and plastic embossing diffusers, of a kind used in manually-powered roller machines for etching or stenciling a single sheet of cardstock, paper, leather, flexible magnet, plastics, metallic foil, vellum, felt or fabric, such sheets measuring not more than 50.8 cm in width or length (described in statistical reporting number 8420.99.9000)              |
| 20(x)(20)                       | 84 FR 52567 (Oct. 2, 2019)     | 20(mmm)(3)                       | 85 FR 62782 (Oct. 5, 2020)      | Operator riding self-propelled aerial work platforms of a kind described in statistical note 1 to chapter 84 effective July 1, 2019, to December 31, 2019, or in statistical note 2 to chapter 84 effective January 1, 2020, powered by an electric motor, with a load capacity not exceeding 1,400 kg (described in statistical reporting number 8427.10.8010 prior to July 1, 2019; described in statistical reporting number 8427.10.8020 effective July 1, 2019) |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(x)(22)                             | 84 FR 52567 (Oct. 2, 2019)        | 20(mmm)(4)                             | 85 FR 62782 (Oct. 5, 2020)         | Cement retainer assemblies with diameter of 4.5 cm or more but not exceeding 51 cm and length of 30.5 cm or more but not exceeding 72 cm, composed of cylindrical cast iron components, nitrile rubber seal and brass back-up rings, suitable for use solely or principally with the machinery of subheadings 8430.41 or 8430.49 (described in statistical reporting number 8431.43.8060) |
| 20(x)(40)                             | 84 FR 52567 (Oct. 2, 2019)        | 20(mmm)(5)                             | 85 FR 62782 (Oct. 5, 2020)         | Extrusion machines for processing rubber, twin-screw type, designed to produce inner liners for tires (described in statistical reporting number 8477.20.0015)  |
| 20(x)(43)                             | 84 FR 52567 (Oct. 2, 2019)        | 20(mmm)(6)                             | 85 FR 62782 (Oct. 5, 2020)         | Safety valves, of brass or bronze, containing a fusible element to automatically close the valve at a set temperature, each valued not over \$5 (described in statistical reporting number 8481.40.0000)  |
| 20(x)(46)                             | 84 FR 52567 (Oct. 2, 2019)        | 20(mmm)(7)                             | 85 FR 62782 (Oct. 5, 2020)         | DC electric motors, of an output of less than 18.65 W, other than brushless, measuring less than 38 mm in diameter (described in statistical reporting number 8501.10.4060)   |
| 20(x)(50)                             | 84 FR 52567 (Oct. 2, 2019)        | 20(mmm)(8)                             | 85 FR 62782 (Oct. 5, 2020)         | DC motors, electronically commutated, three-phase, eight-pole of a kind used in HVAC systems, of an output of 750 W, valued not over \$100 each (described in statistical reporting number 8501.31.6000)  |
| 20(x)(89)                             | 84 FR 52567 (Oct. 2, 2019)        | 20(mmm)(9)                             | 85 FR 62782 (Oct. 5, 2020)         | Combined positron emission tomography/computed tomography (PET/CT) scanners which utilize multiple PET gantries (frames) on a common base (described in statistical reporting number 9022.12.0000)  |
| 20(x)(93)                             | 84 FR 52567 (Oct. 2, 2019)        | 20(mmm)(1)                             | 85 FR 62782 (Oct. 5, 2020)         | 9030.90.4600  |



## List 2

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(o)(2)                              | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(1)                             | 85 FR 45949 (Jul. 30, 2020)        | Polytetrafluoroethylene ((C2F4)n), having a particle size of 5 to 500 microns and a melting point of 315 to 329 degrees Celsius (described in statistical reporting number 3904.61.0090)  |
| 20(o)(6)                              | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(2)                             | 85 FR 45949 (Jul. 30, 2020)        | Polyethylene film, 20.32 to 198.12 cm in width, and 30.5 to 2000.5 m in length, coated on one side with solvent acrylic adhesive, clear or in transparent colors, whether or not printed, in rolls (described in statistical reporting number 3919.90.5060)   |
| 20(o)(12)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(3)                             | 85 FR 45949 (Jul. 30, 2020)        | Rectangular sheets of high-density or low-density polyethylene, 111.75 cm to 215.9 cm in width, and 152.4 cm to 304.8 cm in length, with a sticker attached to mark the center of each sheet, of a kind used in hospital or surgery center operating rooms (described in statistical reporting number 3920.10.0000) |
| 20(o)(14)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(4)                             | 85 FR 45949 (Jul. 30, 2020)        | Gasoline or liquid propane (LP) engines each having a displacement of more than 2 liters but not more than 2.5 liters (described in statistical reporting number 8407.90.9010)  |
| 20(o)(24)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(5)                             | 85 FR 45949 (Jul. 30, 2020)        | Dispensers of hand-cleaning or hand-sanitizing solutions, whether employing a manual pump or a proximity-detecting battery-operated pump, each article weighing not more than 3 kg (described in statistical reporting number 8424.89.9000)   |
| 20(o)(29)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(6)                             | 85 FR 45949 (Jul. 30, 2020)        | Walk behind rotary tillers, electric powered, individually weighing less than 14 kg (described in statistical reporting number 8432.29.0060)  |
| 20(o)(33)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(7)                             | 85 FR 45949 (Jul. 30, 2020)        | AC motors, of 18.65 W or more but not exceeding 37.5 W, each with attached actuators, crankshafts or gears (described in statistical reporting number 8501.10.6020)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(o)(43)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(8)                             | 85 FR 45949 (Jul. 30, 2020)        | Position or speed sensors for motor vehicle transmission systems, each valued not over \$12 (described in statistical reporting number 8543.70.4500)   |
| 20(o)(44)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(9)                             | 85 FR 45949 (Jul. 30, 2020)        | Wheel speed sensors for anti-lock motor vehicle braking systems, each valued not over \$12 (described in statistical reporting number 8543.70.4500)  |
| 20(o)(47)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(10)                            | 85 FR 45949 (Jul. 30, 2020)        | Apparatus using passive infrared detection sensors designed for turning lights on and off (described in statistical reporting number 8543.70.9960)   |
| 20(o)(57)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(11)                            | 85 FR 45949 (Jul. 30, 2020)        | Liquid leak detectors (described in statistical reporting number 8543.70.9960)   |
| 20(o)(59)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(12)                            | 85 FR 45949 (Jul. 30, 2020)        | Robots, programmable, measuring not more than 40 cm high by 22 cm wide by 27 cm deep, incorporating an LCD display, camera and microphone but without "hands" (described in statistical reporting number 8543.70.9960) |
| 20(o)(61)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(13)                            | 85 FR 45949 (Jul. 30, 2020)        | Motorcycles (including mopeds), with reciprocating internal combustion piston engine of a cylinder capacity not exceeding 50 cc, valued not over \$500 each (described in statistical reporting number 8711.10.0000)   |
| 20(o)(63)                             | 84 FR 37381 (Jul. 31, 2019)       | 20(ggg)(14)                            | 85 FR 45949 (Jul. 30, 2020)        | Digital clinical thermometers (described in statistical reporting number 9025.19.8040 prior to July 1, 2020; described in statistical reporting number 9025.19.8010 or 9025.19.8020 effective July 1, 2020)            |
| 20(v)(1)                              | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(1)                             | 85 FR 59595 (Sept. 22, 2020)       | Acrylic acid-2-acrylamido-2-methylpropanesulfonic acid-acrylic ester (AA/AMPS/HPA) terpolymers, presented in dry form (described in statistical reporting number 3906.90.5000)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(v)(6)                              | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(2)                             | 85 FR 59595 (Sept. 22, 2020)       | Molded acrylonitrile-butadiene-styrene (ABS) tubes, of a kind used to effect the sterile transfer of fluid from a bag or vial to another container, each tube measuring 7.5 cm or more but not exceeding 23 cm in length, with an inner diameter of less than 0.65 cm and an outer diameter of less than 9 cm, one end having been angle-cut to form a spike, and having an integrated flange, less than 3 cm in diameter (splash guard) near the spike end and removable polyethylene caps on each end, put up in sterile packing (described in statistical reporting number 3917.29.0090) |
| 20(v)(15)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(3)                             | 85 FR 59595 (Sept. 22, 2020)       | Electrical tape of polyvinyl chloride, in rolls, measuring not more than 2 cm in width, not more than 20.2 m in length, and not more than 0.18 mm in thickness (described in statistical reporting number 3919.10.2020)   |
| 20(v)(16)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(4)                             | 85 FR 59595 (Sept. 22, 2020)       | Transparent tape of plastics with an acrylic emulsion adhesive, in rolls measuring not over 4.8 cm in width, valued not over \$.25 per square meter (described in statistical reporting number 3919.10.2030)  |
| 20(v)(17)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(5)                             | 85 FR 59595 (Sept. 22, 2020)       | Rolls of polyethylene film coated with a solvent acrylic adhesive (described in statistical reporting number 3919.10.2055)  |
| 20(v)(19)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(6)                             | 85 FR 59595 (Sept. 22, 2020)       | Rolls of polyvinyl chloride, measuring 2.5 cm or more but not exceeding 5.1 cm in width and 182.9 m in length (described in statistical reporting number 3920.43.5000)  |
| 20(v)(25)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(7)                             | 85 FR 59595 (Sept. 22, 2020)       | Films coated on one or both sides with polyvinylidene chloride (PVdC) or polyvinyl alcohol (PVOH), whether or not having a primer layer between the base and coating; any of the foregoing having a total thickness greater than 0.01 mm but not greater than 0.03 mm (described in statistical reporting number 3920.62.0090)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(v)(27)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(8)                             | 85 FR 59595 (Sept. 22, 2020)       | Printed film of polyvinyl chloride, laminated with foamed-polyvinyl chloride-coated polyester scrim, in rolls, of a kind used for lining shelves or drawers (described in statistical reporting number 3921.12.1100)   |
| 20(v)(34)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(9)                             | 85 FR 59595 (Sept. 22, 2020)       | Sheets and strips consisting of both cross-linked polyethylene and ethylene vinyl acetate, of a width greater than 1 m but not greater than 1.5 m, and a length greater than 1.75 m but not greater than 2.6 m (described in statistical reporting number 3921.19.0000)  |
| 20(v)(36)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(10)                            | 85 FR 59595 (Sept. 22, 2020)       | Polyethylene sheet and film laminated with spunbond-spunbond-spunbond nonwoven polypropylene fabric, measuring 1.12 m or more but not over 1.52 m in width and 1.93 m or more but not over 2.29 m in length, and weighing 55 g/m <sup>2</sup> or more but not exceeding 88 g/m <sup>2</sup> (described in statistical reporting number 3921.90.1500) |
| 20(v)(40)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(11)                            | 85 FR 59595 (Sept. 22, 2020)       | Girders of iron or steel, meeting ASTM standard A572, Grades 50, 65 or 70 (described in statistical reporting number 7308.90.3000)   |
| 20(v)(41)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(12)                            | 85 FR 59595 (Sept. 22, 2020)       | Pipes of iron or steel, with connectors, meeting ASTM standard A572, Grade 50 (described in statistical reporting number 7308.90.3000)   |
| 20(v)(42)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(13)                            | 85 FR 59595 (Sept. 22, 2020)       | Posts of steel pipe and tube, with ball knobs attached (described in statistical reporting number 7308.90.3000)  |
| 20(v)(43)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(14)                            | 85 FR 59595 (Sept. 22, 2020)       | Posts of steel pipe and tube, with sill plates and ball studs attached (described in statistical reporting number 7308.90.3000)  |
| 20(v)(44)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(15)                            | 85 FR 59595 (Sept. 22, 2020)       | Rib nodes of iron or steel, meeting ASTM standard A572, Grades 50, 65 or 70 (described in statistical reporting number 7308.90.3000)   |
| 20(v)(83)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(16)                            | 85 FR 59595 (Sept. 22, 2020)       | Monopolar conductors for a voltage exceeding 1,000 V, other than of copper and not fitted with connectors (described in statistical reporting number 8544.60.6000)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(v)(86)                             | 84 FR 49600 (Sept. 20, 2019)      | 20(III)(17)                            | 85 FR 59595 (Sept. 22, 2020)       | Motorcycles with electric power for propulsion, each of a power not exceeding 1,000 W (described in statistical reporting numbers 8711.60.0050 or 8711.60.0090, effective July 1, 2019; described in statistical reporting number 8711.60.0000, effective prior to July 1, 2019)                               |
| 20(y)(3)                              | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(1)                             | 85 FR 62786 (Oct. 5, 2020)         | Elastomeric petroleum resins (CAS No. 64742-16-1) (described in statistical reporting number 3911.10.0000)   |
| 20(y)(23)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(2)                             | 85 FR 62786 (Oct. 5, 2020)         | Machine tool stands having leveling, stabilizing, attachment or other special features (described in statistical reporting number 8466.30.8000)  |
| 20(y)(29)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(3)                             | 85 FR 62786 (Oct. 5, 2020)         | Electric motors, with an output of 18.65 W or more but not exceeding 37.5 W, with attached cables, designed for use in adjusting motor vehicle seats (described in statistical reporting number 8501.10.6080)  |
| 20(y)(33)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(4)                             | 85 FR 62786 (Oct. 5, 2020)         | DC electric motors, 12 V, with an output exceeding 74.6 W but not exceeding 735 W, with lead wires and electrical connector, measuring not over 75 mm outside diameter, with a housing not over 100 mm in length and a shaft not over 60 mm in length (described in statistical reporting number 8501.31.4000) |
| 20(y)(34)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(5)                             | 85 FR 62786 (Oct. 5, 2020)         | DC electric motors, 12 V, with an output not exceeding 515 W, measuring not over 95 mm in outside diameter, not over 155 mm in length and with a shaft not over 30 mm in length (described in statistical reporting number 8501.31.4000)   |
| 20(y)(36)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(6)                             | 85 FR 62786 (Oct. 5, 2020)         | DC electric motors, 120 V, with an output not exceeding 90 W, measuring not over 90 mm long by 35 mm wide by 35 mm high (described in statistical reporting number 8501.31.4000)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(y)(37)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(7)                             | 85 FR 62786 (Oct. 5, 2020)         | DC electric motors, 13.5 V, with an output not exceeding 110 W, measuring not over 75 mm outside diameter, housing not over 120 mm long, a shaft not over 55 mm long and with a mounting flange not over 150 mm (described in statistical reporting number 8501.31.4000) |
| 20(y)(38)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(8)                             | 85 FR 62786 (Oct. 5, 2020)         | DC electric motors, 230 V, with an output not exceeding 140 W, measuring not more than 45 mm in diameter and not over 100 mm in length (described in statistical reporting number 8501.31.4000)  |
| 20(y)(39)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(9)                             | 85 FR 62786 (Oct. 5, 2020)         | DC electric motors, 230 V, with output not exceeding 85 W, measuring not more than 90 mm in length by 35 mm in width by 35 mm in height (described in statistical reporting number 8501.31.4000)   |
| 20(y)(42)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(10)                            | 85 FR 62786 (Oct. 5, 2020)         | DC electric motors, 24 V, with an output not exceeding 515 W, measuring not over 95 mm in outside diameter, not over 155 mm in length and with a shaft not over 30 mm in length (described in statistical reporting number 8501.31.4000)                                 |
| 20(y)(43)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(11)                            | 85 FR 62786 (Oct. 5, 2020)         | DC electric motors, with an output exceeding 74.6 W but not exceeding 735 W, containing lead wires and an electrical connector (described in statistical reporting number 8501.31.4000)  |
| 20(y)(45)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(12)                            | 85 FR 62786 (Oct. 5, 2020)         | DC motors with a power output exceeding 74.6 W but not exceeding 230 W, measuring less than 105 mm in diameter and 50 mm or more but not over 100 mm in length (described in statistical reporting number 8501.31.4000)  |
| 20(y)(46)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(13)                            | 85 FR 62786 (Oct. 5, 2020)         | DC motors, of an output exceeding 74.6 W but not exceeding 735 W, each valued not over \$18 (described in statistical reporting number 8501.31.4000)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(y)(47)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(14)                            | 85 FR 62786 (Oct. 5, 2020)         | Direct Current (DC) permanent magnet motors rated at 90 W or more but not over 110 W and 24 V with torque of 65 Newton meters (Nm) and 2,035 Nm, incorporating a wheel that can manually actuate a valve (described in statistical reporting number 8501.31.4000) |
| 20(y)(53)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(15)                            | 85 FR 62786 (Oct. 5, 2020)         | Ground Fault Circuit Interrupters (GFCIs), Appliance Leakage Current Interrupters (ALCIs), Leakage Current Detection Interrupters (LCDIs), and Arc Fault Circuit Interrupters (AFCIs) (described in statistical reporting number 8536.30.8000)                    |
| 20(y)(55)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(16)                            | 85 FR 62786 (Oct. 5, 2020)         | Electronic AC passive infrared (PIR) motion sensing switches (described in statistical reporting number 8536.50.7000)   |
| 20(y)(67)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(17)                            | 85 FR 62786 (Oct. 5, 2020)         | Bottom shelf coupler assemblies designed for use with coupling systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)   |
| 20(y)(68)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(18)                            | 85 FR 62786 (Oct. 5, 2020)         | Buffering/cushioning front retainer plates, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)   |
| 20(y)(69)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(19)                            | 85 FR 62786 (Oct. 5, 2020)         | Buffering/cushioning intermediate aligning and overtravel protection members, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)                                     |
| 20(y)(70)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(20)                            | 85 FR 62786 (Oct. 5, 2020)         | Buffering/cushioning rear aligning and overtravel protection members designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(y)(71)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(21)                            | 85 FR 62786 (Oct. 5, 2020)         | Buffering/cushioning rear structural units, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)  |
| 20(y)(72)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(22)                            | 85 FR 62786 (Oct. 5, 2020)         | Buffering/cushioning retention and alignment shafts, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)                                   |
| 20(y)(73)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(23)                            | 85 FR 62786 (Oct. 5, 2020)         | Buffering/cushioning retention caps, designed for use with buffering/cushioning systems of freight railcars of heading 8606 (described in statistical reporting number 8607.30.1000)   |
| 20(y)(74)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(24)                            | 85 FR 62786 (Oct. 5, 2020)         | Draft pack rear aligning and overtravel protection members, designed for use with hybrid railcar cushioning systems of freight railcars of heading 8606 (described in statistical reporting number 8607.30.1000)                       |
| 20(y)(75)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(25)                            | 85 FR 62786 (Oct. 5, 2020)         | Follower block plates, designed for use with buffering/cushioning systems of freight railcars of heading 8606 (described in statistical reporting number 8607.30.1000)   |
| 20(y)(78)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(26)                            | 85 FR 62786 (Oct. 5, 2020)         | Type F knuckles, designed for use with coupling systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)   |
| 20(y)(79)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(27)                            | 85 FR 62786 (Oct. 5, 2020)         | Digital clinical thermometers, valued not over \$11 each (described in statistical reporting number 9025.19.8040 prior to July 1, 2020; described in statistical reporting number 9025.19.8010 or 9025.19.8020 effective July 1, 2020) |
| 20(y)(84)                             | 84 FR 52553 (Oct. 2, 2019)        | 20(nnn)(28)                            | 85 FR 62786 (Oct. 5, 2020)         | Portable, wireless enabled, electrical gas monitors (described in statistical reporting number 9027.10.2000)   |



### List 3

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(p)(1)                              | 84 FR 38717 (Aug. 7, 2019)        | 20(iii)(59)                            | 85 FR 48600 (Aug. 11, 2020)        | Container units of plastics, each comprising a tub and lid therefore, configured or fitted for the conveyance, packing, or dispensing of wet wipes (described in statistical reporting number 3923.10.9000)   |
| 20(p)(2)                              | 84 FR 38717 (Aug. 7, 2019)        | 20(iii)(60)                            | 85 FR 48600 (Aug. 11, 2020)        | Injection molded polypropylene plastic caps or lids each weighing not over 24 grams designed for dispensing wet wipes (described in statistical reporting number 3923.50.0000)  |
| 20(p)(8)                              | 84 FR 38717 (Aug. 7, 2019)        | 20(iii)(229)                           | 85 FR 48600 (Aug. 11, 2020)        | Truck trailer skirt brackets, other than parts of general use of Section XV (described in statistical reporting number 8716.90.5060)  |
| 20(w)(6)                              | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(75)                            | 85 FR 48600 (Aug. 11, 2020)        | Portable, single-use grills for heating food, each comprising bamboo charcoal fuel, expanded perlite insulation, bamboo rods for suspending foods over the charcoal flame, and cut paper or paperboard in shapes specially designed for assembly of a grill body (described in statistical reporting number 4402.10.0000)           |
| 20(w)(9)                              | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(82)                            | 85 FR 48600 (Aug. 11, 2020)        | Paper pulp sponge blocks, measuring 38 cm by 38 cm by 102 cm (15 inches by 15 inches by 40 inches) (described in statistical reporting number 4823.70.0040)   |
| 20(w)(14)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(117)                           | 85 FR 48600 (Aug. 11, 2020)        | Grills composed of steel wire, each measuring 49 cm by 47 cm (19.25 inches by 18.5 inches), weighing 0.36 kg (0.80 lbs.), designed as cooking surface of barbecue grill (described in statistical reporting number 7321.90.6090)  |
| 20(w)(15)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(122)                           | 85 FR 48600 (Aug. 11, 2020)        | Mounting boards of aluminum for guitar sound modifying ("effect") devices, each consisting of an aluminum frame with above ground slots for the placement of devices and floor level slots for the on/off foot-operated pedal switches which control the modifying devices (described in statistical reporting number 7616.99.5190) |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(w)(18)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(127)                           | 85 FR 48600 (Aug. 11, 2020)        | Stamped and formed brackets of steel (described in statistical reporting number 8302.50.0000)  |
| 20(w)(22)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(154)                           | 85 FR 48600 (Aug. 11, 2020)        | Mouse input devices for automatic data processing (ADP) machines, each valued over \$70 (described in statistical reporting number 8471.60.9050)   |
| 20(w)(23)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(155)                           | 85 FR 48600 (Aug. 11, 2020)        | Trackpad input units for automatic data processing (ADP) machines, each valued over \$100 (described in statistical reporting number 8471.60.9050)   |
| 20(w)(24)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(157)                           | 85 FR 48600 (Aug. 11, 2020)        | Printed circuit assemblies to enhance the graphics performance of automatic data processing (ADP) machines ("accelerator modules") (described in statistical reporting number 8473.30.1180)  |
| 20(w)(25)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(156)                           | 85 FR 48600 (Aug. 11, 2020)        | Printed circuit assemblies for rendering images onto computer screens ("graphics processing modules") (described in statistical reporting number 8473.30.1180)   |
| 20(w)(26)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(158)                           | 85 FR 48600 (Aug. 11, 2020)        | Printed circuit assemblies, constituting unfinished logic boards (described in statistical reporting number 8473.30.1180)  |
| 20(w)(27)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(159)                           | 85 FR 48600 (Aug. 11, 2020)        | Parts and accessories of machines of heading 8471 not incorporating goods of headings 8541 or 8542 (described in statistical reporting number 8473.30.5100)  |
| 20(w)(29)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(175)                           | 85 FR 48600 (Aug. 11, 2020)        | Power supplies suitable for physical incorporation into automatic data processing (ADP) machines or units thereof of heading 8471, each with a power output exceeding 500 W, measuring 148mm in length, 43 mm in width and 335 mm in height (described in statistical reporting number 8504.40.6018) |
| 20(w)(31)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(214)                           | 85 FR 48600 (Aug. 11, 2020)        | Guide pins and guide bolts designed for use in brakes and servo-brakes of subheading 8708.30 (described in statistical reporting number 8708.30.5090)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(w)(33)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(222)                           | 85 FR 48600 (Aug. 11, 2020)        | Single-speed bicycles having both wheels exceeding 63.5 cm in diameter, weighing less than 16.3 kg without accessories and not designed for use with tires having a cross-sectional diameter exceeding 4.13 cm (described in statistical reporting number 8712.00.2500)       |
| 20(w)(37)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(265)                           | 85 FR 48600 (Aug. 11, 2020)        | Garden, patio and table top wick burning torches for outdoor use (described in statistical reporting number 9405.50.4000)   |
| 20(w)(38)                             | 84 FR 49591 (Sept. 20, 2019)      | 20(iii)(266)                           | 85 FR 48600 (Aug. 11, 2020)        | Lamp shades of fabric over metal frame (described in statistical reporting number 9405.99.4090)   |
| 20(II)(7)                             | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(36)                            | 85 FR 48600 (Aug. 11, 2020)        | Pigment yellow 13 (CAS No. 5102-83-0) (described in statistical reporting number 3204.17.9050)  |
| 20(II)(8)                             | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(40)                            | 85 FR 48600 (Aug. 11, 2020)        | Polyethylene terephthalate (PET) film coated with a photoresist solution, in rolls, sensitized, unexposed, without perforations, of a width exceeding 105 mm but not exceeding 610 mm, not used as graphic arts film (described in statistical reporting number 3702.44.0160) |
| 20(II)(11)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(65)                            | 85 FR 48600 (Aug. 11, 2020)        | Brake bushings, hard or soft (described in statistical reporting number 4016.99.6050)   |
| 20(II)(12)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(78)                            | 85 FR 48600 (Aug. 11, 2020)        | Trays, plates and bowls, of bamboo (described in statistical reporting number 4823.61.0040)   |
| 20(II)(14)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(86)                            | 85 FR 48600 (Aug. 11, 2020)        | Woven dyed fabrics of 100 percent textured polyester filament yarn, measuring 332.7 cm in width, weighing more than 170 g/m <sup>2</sup> (described in statistical reporting number 5407.52.2060)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(II)(15)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(97)                            | 85 FR 48600 (Aug. 11, 2020)        | Nonwoven fabrics of man-made fibers, weighing more than 25 g/m <sup>2</sup> but not more than 70 g/m <sup>2</sup> , with a smooth or embossed texture (not impregnated, coated or covered with material other than or in addition to rubber, plastics, wood pulp or glass fibers), in rolls that are pre-slitted in lengths of not less than 15 cm to not more than 107 cm, for use in the manufacture of personal care wipes (described in statistical reporting number 5603.12.0090) |
| 20(II)(19)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(102)                           | 85 FR 48600 (Aug. 11, 2020)        | Long pile knit fabrics, of acrylic pile on polyester ground, valued not over \$16 per m <sup>2</sup> (described in statistical reporting number 6001.10.2000)  |
| 20(II)(21)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(111)                           | 85 FR 48600 (Aug. 11, 2020)        | Tiles of non-recycled glass on a vinyl mesh backing, in a grid pattern of not less than 304 mm by 304 mm and not exceeding 305 mm by 305 mm, for mosaics or other decorative or construction purposes (described in statistical reporting number 7016.10.0000)   |
| 20(II)(23)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(115)                           | 85 FR 48600 (Aug. 11, 2020)        | Articulated chains of iron, not over 8 mm in thickness and valued not over \$2 per m (described in statistical reporting number 7315.12.0080)  |
| 20(II)(32)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(121)                           | 85 FR 48600 (Aug. 11, 2020)        | Nickel hydroxy carbonate (CAS No. 12607-70-4) (described in statistical reporting number 7501.20.0000)   |
| 20(II)(50)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(188)                           | 85 FR 48600 (Aug. 11, 2020)        | Fan-forced, portable electric space heaters, each having a power consumption of not more than 1.5 kW and weighing more than 1.5 kg but not more than 17 kg, whether or not incorporating a humidifier or air filter (described in statistical reporting number 8516.29.0030)   |
| 20(II)(52)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(189)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric fireplace inserts and free-standing electric fireplace heaters, rated at 5,000 British thermal units (BTUs) (described in statistical reporting number 8516.29.0090)  |
| 20(II)(53)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(190)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric fireplaces, weighing not more than 55 kg (described in statistical reporting number 8516.29.0090)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(II)(61)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(205)                           | 85 FR 48600 (Aug. 11, 2020)        | Insulated electric conductors for a voltage not exceeding 1,000 V, fitted with connectors of a kind used for telecommunications, each valued over \$0.35 but not over \$2 (described in statistical reporting number 8544.42.2000)                                 |
| 20(II)(69)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(225)                           | 85 FR 48600 (Aug. 11, 2020)        | Bicycle frames, of carbon fiber, valued not over \$600 each (described in statistical reporting number 8714.91.3000)   |
| 20(II)(72)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(230)                           | 85 FR 48600 (Aug. 11, 2020)        | Clear rectangular filter cover lenses, unmounted, of allyl diglycol carbonate for arc welding helmets, each measuring 50 mm by 110 mm or measuring 115 mm by 135 mm (described in statistical reporting number 9001.90.9000)                                       |
| 20(II)(76)                            | 84 FR 57803 (Oct. 28, 2019)       | 20(iii)(250)                           | 85 FR 48600 (Aug. 11, 2020)        | Foot assemblies of base metal and rubber, designed for folding chairs (described in statistical reporting number 9401.90.5081)   |
| 20(mm)(12)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(83)                            | 85 FR 48600 (Aug. 11, 2020)        | Silk fabrics, containing 85 percent or more by weight of silk or of silk waste other than noil silk, the foregoing not printed, not jacquard woven, measuring over 127 cm in width (described in statistical reporting number 5007.20.0065)                        |
| 20(mm)(13)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(84)                            | 85 FR 48600 (Aug. 11, 2020)        | Silk fabrics, containing 85 percent or more by weight of silk or of silk waste other than noil silk, the foregoing not printed, not jacquard woven, measuring 107 cm or more but not over 127 cm in width (described in statistical reporting number 5007.20.0085) |
| 20(mm)(17)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(177)                           | 85 FR 48600 (Aug. 11, 2020)        | Static converters designed for wireless (inductive) charging of telecommunication apparatus (described in statistical reporting number 8504.40.8500)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(mm)(18)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(202)                           | 85 FR 48600 (Aug. 11, 2020)        | Gas ignition safety controls, measuring 3.8 to 5.3 cm in height, 6.4 to 10.1 cm in width and 13.2 to 13.9 cm in depth; weighing 160 g to 380 g each; and valued not over \$26 each; of a kind used in patio heaters, agricultural heaters or clothes dryers (described in statistical reporting number 8537.10.9170) |
| 20(mm)(20)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(228)                           | 85 FR 48600 (Aug. 11, 2020)        | Casters, with diameter (including, where appropriate, tires) of 20 cm or more but not over 23 cm (described in statistical reporting number 8716.90.3000)  |
| 20(mm)(23)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(244)                           | 85 FR 48600 (Aug. 11, 2020)        | Foldable stools with frames of steel or aluminum, each measuring not over 30.5 cm in width, 26 cm in depth and 39 cm in height (described in statistical reporting number 9401.79.0035)  |
| 20(mm)(24)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(76)                            | 85 FR 48600 (Aug. 11, 2020)        | Fiberboard sheets, containing phenolic resin, each not exceeding 0.635 mm in thickness (described in statistical reporting number 4411.93.9090)  |
| 20(mm)(27)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(125)                           | 85 FR 48600 (Aug. 11, 2020)        | Bolt-on tips of carbon alloy steel of a kind used in tub or horizontal grinders (described in statistical reporting number 8207.90.7585)   |
| 20(mm)(30)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(148)                           | 85 FR 48600 (Aug. 11, 2020)        | Ratcheting chain, rope or cable hoists, other than skip hoists or hoists of a kind used for raising motor vehicles, such hoists not powered by an electric motor (described in statistical reporting number 8425.19.0000)  |
| 20(mm)(32)                            | 84 FR 61674 (Nov. 13, 2019)       | 20(iii)(178)                           | 85 FR 48600 (Aug. 11, 2020)        | Static converters of a kind used to charge telecommunication apparatus in cars or homes, valued not over \$2 each (described in statistical reporting number 8504.40.8500)   |
| 20(nn)(2)                             | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(32)                            | 85 FR 48600 (Aug. 11, 2020)        | Sodium metal (CAS No. 7440-23-5), in bulk solid form (described in statistical reporting number 2805.11.0000)  |
| 20(nn)(5)                             | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(106)                           | 85 FR 48600 (Aug. 11, 2020)        | Grinding beads of yttria-stabilized zirconia (described in statistical reporting number 6909.11.2000)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(nn)(9)                             | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(126)                           | 85 FR 48600 (Aug. 11, 2020)        | Flat panel display mounting adapters of base metal (described in statistical reporting number 8302.50.0000)  |
| 20(nn)(11)                            | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(144)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric display cases incorporating refrigerating equipment designed for commercial use, each with a glass front to display the food or drink being stored (described in statistical reporting number 8418.50.0080)   |
| 20(nn)(14)                            | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(184)                           | 85 FR 48600 (Aug. 11, 2020)        | Vacuum cleaners, bagless, upright, each with self-contained electric motor of a power not exceeding 1,500 W and having a dust receptacle capacity not exceeding 1 liter (described in statistical reporting number 8508.11.0000)   |
| 20(nn)(15)                            | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(185)                           | 85 FR 48600 (Aug. 11, 2020)        | Starter motors for internal combustion gasoline engines designed for use in the lawn, automotive, watercraft, motorcycle, industrial and garden industries (described in statistical reporting number 8511.40.0000)  |
| 20(nn)(17)                            | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(221)                           | 85 FR 48600 (Aug. 11, 2020)        | Bicycles, not motorized, each having aluminum- or magnesium- alloy wheels both measuring more than 69 cm but not more than 71 cm in diameter, tires of cross-sectional diameter of 3.5 cm, aluminum frame, a polyurethane/carbon fiber cord drive belt, 3-, 7- or 12-speed rear hub and twist shifter (described in statistical reporting number 8712.00.2500) |
| 20(nn)(22)                            | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(243)                           | 85 FR 48600 (Aug. 11, 2020)        | Folding chairs with aluminum frames, each comprising a seat of polyester ripstop fabric and polyester netting and an aluminum frame, weighing not more than 600 g (described in statistical reporting number 9401.79.0015)   |
| 20(nn)(25)                            | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(256)                           | 85 FR 48600 (Aug. 11, 2020)        | Foldable cots with frames of steel and/or aluminum, each with sleeping surface of polyester or nylon fabric, each cot measuring 185 cm or more but not over 230 cm in length, 70 cm or more but not over 105 cm in width and 7 cm or more but not over 58 cm in height (described in statistical reporting number 9403.20.0090)                                |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(nn)(26)                            | 84 FR 65882 (Nov. 29, 2019)       | 20(iii)(257)                           | 85 FR 48600 (Aug. 11, 2020)        | Foldable tables with frames of steel and/or aluminum, each measuring 25 cm or more but not over 156 cm in length, 30 cm or more but not over 80 cm in width and 37 cm or more but not over 113 cm in height, with a tabletop surface of aluminum (described in statistical reporting number 9403.20.0090) |
| 20(oo)(1)                             | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(1)                             | 85 FR 48600 (Aug. 11, 2020)        | 0304.72.5000  |
| 20(oo)(2)                             | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(2)                             | 85 FR 48600 (Aug. 11, 2020)        | 0304.83.1015  |
| 20(oo)(3)                             | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(3)                             | 85 FR 48600 (Aug. 11, 2020)        | 0304.83.1020  |
| 20(oo)(4)                             | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(6)                             | 85 FR 48600 (Aug. 11, 2020)        | 0304.83.5090  |
| 20(oo)(6)                             | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(18)                            | 85 FR 48600 (Aug. 11, 2020)        | 8708.50.8500  |
| 20(oo)(9)                             | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(20)                            | 85 FR 48600 (Aug. 11, 2020)        | 8712.00.1520  |
| 20(oo)(10)                            | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(23)                            | 85 FR 48600 (Aug. 11, 2020)        | Bananas, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in statistical reporting number 0803.90.0045)  |
| 20(oo)(11)                            | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(24)                            | 85 FR 48600 (Aug. 11, 2020)        | Apples, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in statistical reporting number 0813.30.0000)   |
| 20(oo)(12)                            | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(25)                            | 85 FR 48600 (Aug. 11, 2020)        | Peaches, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in statistical reporting number 0813.40.4000)  |
| 20(oo)(13)                            | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(26)                            | 85 FR 48600 (Aug. 11, 2020)        | Pears, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in statistical reporting number 0813.40.9000)  |



| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(oo)(14)                            | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(27)                            | 85 FR 48600 (Aug. 11, 2020)        | Mixtures of strawberries and bananas, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in statistical reporting number 0813.50.0020)  |
| 20(oo)(16)                            | 84 FR 69012 (Dec. 17, 2019)       | 20(iii)(81)                            | 85 FR 48600 (Aug. 11, 2020)        | Molded blocks of wood pulp cellulose sponge, each measuring not over 105 cm by 105 cm by 40 cm (described in statistical reporting number 4823.70.0040)  |
| 20(tt)(2)                             | 85 FR 15015 (Mar. 16, 2020)       | 20(iii)(7)                             | 85 FR 48600 (Aug. 11, 2020)        | 3923.21.0095   |
| 20(tt)(3)                             | 85 FR 15015 (Mar. 16, 2020)       | 20(iii)(8)                             | 85 FR 48600 (Aug. 11, 2020)        | 3926.20.9050   |
| 20(tt)(4)                             | 85 FR 15015 (Mar. 16, 2020)       | 20(iii)(9)                             | 85 FR 48600 (Aug. 11, 2020)        | 4015.19.1010   |
| 20(tt)(5)                             | 85 FR 15015 (Mar. 16, 2020)       | 20(iii)(11)                            | 85 FR 48600 (Aug. 11, 2020)        | 5603.12.0090   |
| 20(vv)(17)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(33)                            | 85 FR 48600 (Aug. 11, 2020)        | Sodium adipate (1,4-butanedicarboxylic acid, disodium salt) (IUPAC name: disodium hexanedioate) (CAS No. 7486-38-6) (described in statistical reporting number 2917.12.5000)   |
| 20(vv)(25)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(35)                            | 85 FR 48600 (Aug. 11, 2020)        | N-(n-Butyl)thiophosphoric triamide (IUPAC name: N-Diaminophosphinothiylbutan-1-amine) (CAS No. 94317-64-3) (described in statistical reporting number 2929.90.5090)  |
| 20(vv)(30)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(45)                            | 85 FR 48600 (Aug. 11, 2020)        | Flux powder consisting wholly of inorganic substances, including but not limited to silicon dioxide, titanium oxide, manganese oxide, aluminum oxide, and calcium fluoride, for submerged arc welding (described in statistical reporting number 3810.90.2000) |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(vv)(45)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(70)                            | 85 FR 48600 (Aug. 11, 2020)        | Backpacks with outer surface of textile materials of man-made fibers, each measuring at least 35 cm but not more than 75 cm in height, at least 19 cm but not more than 34 cm in width, and at least 5 cm but not more than 26 cm in depth (described in statistical reporting number 4202.92.3120)   |
| 20(vv)(54)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(77)                            | 85 FR 48600 (Aug. 11, 2020)        | Notebooks of paper or paperboard, each incorporating a plastic toy building block on the cover, measuring at least 13 cm but not more than 16 cm on the short side, at least 15 cm but not more than 22 cm on the long side and at least 1 cm but not more than 3 cm in thickness, with at least 192 but no more than 352 ruled or blank pages (described in statistical reporting number 4820.10.2060) |
| 20(vv)(55)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(79)                            | 85 FR 48600 (Aug. 11, 2020)        | Plates, bowls or cups of molded or pressed bamboo pulp, each weighing at least 3 g but not more than 92 g (described in statistical reporting number 4823.70.0020)  |
| 20(vv)(56)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(80)                            | 85 FR 48600 (Aug. 11, 2020)        | Clamshell containers, pizza pans, lids, compartmentalized and other trays of molded or pressed bamboo pulp, each weighing at least 3 g but not more than 95 g (described in statistical reporting number 4823.70.0040)  |
| 20(vv)(57)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(85)                            | 85 FR 48600 (Aug. 11, 2020)        | Yarn of cashmere or camel hair, carded but not combed, not put up for retail sale (described in statistical reporting number 5108.10.8000)  |
| 20(vv)(58)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(93)                            | 85 FR 48600 (Aug. 11, 2020)        | Polyester filament tow, measuring more than 50 ktex but not more than 275 ktex (described in statistical reporting number 5501.20.0000)   |
| 20(vv)(59)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(94)                            | 85 FR 48600 (Aug. 11, 2020)        | Polypropylene fiber tow, measuring more than 50 ktex but not more than 275 ktex (described in statistical reporting number 5501.40.0000)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(vv)(65)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(104)                           | 85 FR 48600 (Aug. 11, 2020)        | Sandstone known as brown wave, of a kind used in outdoor living spaces, containing one textured side and up to four chiseled edges with a density of 2,750 kg/m <sup>3</sup> (described in statistical reporting number 6802.99.0060)  |
| 20(vv)(66)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(105)                           | 85 FR 48600 (Aug. 11, 2020)        | Sandstone with a flamed finish on one side and a length of 200 mm or more but not over 3,100 mm, a width of 100 mm or more but not over 1,380 mm and a thickness of 30 mm or more but not over 180 mm (described in statistical reporting number 6802.99.0060)   |
| 20(vv)(71)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(107)                           | 85 FR 48600 (Aug. 11, 2020)        | Screen protectors of tempered safety glass, transparent, cut, and treated, with adhesive on one side, in rectangular sheets, each weighing at least 6 g but not more than 77 g, each measuring not less than 2.8 cm but not more than 28 cm in height, not less than 1.9 cm but not more than 21 cm in width, and not more than 0.1 cm in thickness (described in statistical reporting number 7007.19.0000) |
| 20(vv)(72)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(108)                           | 85 FR 48600 (Aug. 11, 2020)        | Sheets of tempered safety glass, coated with silicone oxide, having a surface area of less than 2.5 m <sup>2</sup> , designed to be placed over solar cell panels for protection from external damage (described in statistical reporting number 7007.19.0000)   |
| 20(vv)(77)                            | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(112)                           | 85 FR 48600 (Aug. 11, 2020)        | Windows of stainless steel incorporating tempered glass, each fitted with a rubber gasket that provides a water-tight seal when closed, designed for installation in ships and boats of chapter 89 (described in statistical reporting number 7308.30.1000)  |
| 20(vv)(101)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(137)                           | 85 FR 48600 (Aug. 11, 2020)        | Cooling medium pumps for internal combustion piston engines of the motor vehicles of headings 8703 or 8704 (described in statistical reporting number 8413.30.9090)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(vv)(105)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(150)                           | 85 FR 48600 (Aug. 11, 2020)        | Screw jacks and scissor jacks, each comprising a base, two lift arms and adjustable wheel pads, weighing at least 22 kg but not more than 42 kg, with a weight limit of not more than 342 kg (described in statistical reporting number 8425.49.0000)  |
| 20(vv)(114)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(168)                           | 85 FR 48600 (Aug. 11, 2020)        | Single phase AC electric motors (other than gear motors), of an output of 56 W or more but not exceeding 69 W, each measuring no more than 9 cm in length and no more than 11.5 cm in diameter, weighing no more than 2 kg, in a housing of base metals, with a switch (described in statistical reporting number 8501.40.2040)  |
| 20(vv)(115)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(173)                           | 85 FR 48600 (Aug. 11, 2020)        | Single-phase AC electric motors incorporating permanent split capacitors, each of an output range of 367 W or more but not exceeding 565 W, operating at not less than 115 V of alternating current (VAC) but not more than 230 VAC, capable of operating while submerged in water, each weighing at least 7 kg but not more than 11 kg, measuring not more than 10 cm in diameter and at least 22 cm but not exceeding 34 cm in length (described in statistical reporting number 8501.40.4040)   |
| 20(vv)(116)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(174)                           | 85 FR 48600 (Aug. 11, 2020)        | Single-phase AC electric motors, other than gear motors, whether or not incorporating permanent split capacitors, each of an output range of 746 W or more but not exceeding 1.13 kW, operating at not less than 115 V of alternating current (VAC) but not more than 250 VAC, capable of operating while submerged in water, each weighing at least 9 kg but not more than 12.5 kg, measuring not more than 10 cm in diameter and at least 25 cm but not exceeding 36 cm in length (described in statistical reporting number 8501.40.6040) |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(vv)(119)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(180)                           | 85 FR 48600 (Aug. 11, 2020)        | Inductors, each with inductance of 22 microhenrys ( $\mu\text{H}$ ), a tolerance of no greater than 20 percent, with a DC resistance of 198 milliohms ( $\text{m}\Omega$ ) and a DC current of 1.9 A (described in statistical reporting number 8504.50.8000)   |
| 20(vv)(120)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(181)                           | 85 FR 48600 (Aug. 11, 2020)        | Inductors, each with inductance of 220 microhenrys ( $\mu\text{H}$ ), a tolerance of no greater than 20 percent, with a DC resistance of 550 milliohms ( $\text{m}\Omega$ ) and a DC current of 510 milliamps (mA) (described in statistical reporting number 8504.50.8000)   |
| 20(vv)(121)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(182)                           | 85 FR 48600 (Aug. 11, 2020)        | Inductors, each with inductance of 470 microhenrys ( $\mu\text{H}$ ), a tolerance of no greater than 20 percent, with a DC resistance of 700 milliohms ( $\text{m}\Omega$ ) and a DC current of 540 milliamps (mA) (described in statistical reporting number 8504.50.8000)   |
| 20(vv)(128)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(197)                           | 85 FR 48600 (Aug. 11, 2020)        | Indicator panels incorporating LEDs, designed for use in medical infusion equipment (described in statistical reporting number 8531.20.0040)  |
| 20(vv)(129)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(199)                           | 85 FR 48600 (Aug. 11, 2020)        | Printed circuit boards, with a base of glass reinforced epoxy laminate material that is compliant with NEMA grade FR-4 fire resistance, not flexible, with 10 layers, designed for use in a flow meter, and measuring not more than 6.35 cm by 6.35 cm by 0.1575 cm (described in statistical reporting number 8534.00.0020)            |
| 20(vv)(138)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(204)                           | 85 FR 48600 (Aug. 11, 2020)        | Digital sound processing apparatus capable of connecting to a wired or wireless network for the mixing of sound, each capable of mixing 16, 24, 32 or 64 channel, each measuring not more than 17 cm in height, not more than 60 cm in depth, and not more than 83 cm in width (described in statistical reporting number 8543.70.9100) |
| 20(vv)(160)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(224)                           | 85 FR 48600 (Aug. 11, 2020)        | Bicycles, including mountain-type, with drop bar, tubeless, folding (described in statistical reporting number 8712.00.4800)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(vv)(165)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(254)                           | 85 FR 48600 (Aug. 11, 2020)        | Adjustable wire shelving units of steel, other than for household use, comprising vertical poles, foot caps or casters, clips and shelves, each when fully assembled measuring at least 35 cm or more but not more than 183 m in width, at least 35 cm but not more than 77 cm in depth, and at least 137 cm but not more than 183 cm in height (described in statistical reporting number 9403.20.0081) |
| 20(vv)(166)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(255)                           | 85 FR 48600 (Aug. 11, 2020)        | Storage racks of steel, powder-coated, designed to hang from overhead support, each weighing not more than 37 kg, measuring not more than 123 cm in width, not more than 123 cm in height and not more than 245 cm in length (described in statistical reporting number 9403.20.0081)  |
| 20(vv)(177)                           | 85 FR 17158 (Mar. 26, 2020)       | 20(iii)(263)                           | 85 FR 48600 (Aug. 11, 2020)        | Flameless pillar candles with LED lamps powered by batteries, each measuring at least 7.6 cm but not more than 20 cm in diameter and having a wax exterior (described in statistical reporting number 9405.40.8440)  |
| 20(xx)(1)                             | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(16)                            | 85 FR 48600 (Aug. 11, 2020)        | 8424.90.9080   |
| 20(xx)(10)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(34)                            | 85 FR 48600 (Aug. 11, 2020)        | 1-Cyanoguanidine (Dicyandiamide) (CAS No. 461-58-5) (described in statistical reporting number 2926.20.0000)   |
| 20(xx)(12)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(55)                            | 85 FR 48600 (Aug. 11, 2020)        | Mixtures of hydrofluorocarbons, containing 40 to 44 percent by weight of 1,1,1,2-tetrafluoroethane (CAS No. 811-97-2), 56 to 60 percent by weight of pentafluoroethane (CAS No. 354-33-6) and up to 2 percent by weight of lubricating oil (described in statistical reporting number 3824.78.0020)  |
| 20(xx)(13)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(57)                            | 85 FR 48600 (Aug. 11, 2020)        | Mixtures containing N,Ndimethyldodecan-1-amine (CAS No. 112-18-5) and N,N-dimethyltetradecan-1-amine(CAS No. 112-75-4) (described in statistical reporting number 3824.99.9297)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(xx)(16)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(66)                            | 85 FR 48600 (Aug. 11, 2020)        | Cable protectors of rubber, each measuring not more than 91 cm in length, not more than 51 cm in width and not more than 5.2 cm in height, with 5 channels for multiple cables or hoses not more than 3.8 cm in diameter, with a lid of polyvinyl chloride, weighing not more than 14.5 kg, with a load capacity of not more than 8,200 kg (described in statistical reporting number 4016.99.6050) |
| 20(xx)(17)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(67)                            | 85 FR 48600 (Aug. 11, 2020)        | Parking stops of recycled rubber, each measuring not more than 185 cm in length, not more than 15.5 cm in width and not more than 10.5 cm in height, weighing not more than 16 kg (described in statistical reporting number 4016.99.6050)  |
| 20(xx)(18)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(68)                            | 85 FR 48600 (Aug. 11, 2020)        | Messenger bags of polyester, each measuring not more than 50 cm by 38 cm by 11 cm, weighing not more than 2.5 kg (described in statistical reporting number 4202.12.8130)   |
| 20(xx)(19)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(69)                            | 85 FR 48600 (Aug. 11, 2020)        | Backpacks with hydration system, each measuring not more than 51 cm by 28 cm by 9 cm, weighing not more than 1 kg (described in statistical reporting number 4202.92.0400)  |
| 20(xx)(21)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(72)                            | 85 FR 48600 (Aug. 11, 2020)        | Duffel bags of polyester, each measuring not more than 81 cm by 39 cm by 11 cm, weighing not more than 7 kg (described in statistical reporting number 4202.92.3131)  |
| 20(xx)(22)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(71)                            | 85 FR 48600 (Aug. 11, 2020)        | Duffel bags made predominantly of man-made fibers, each measuring not more than 98 cm by 52 cm by 17 cm, weighing not more than 7 kg, with wheels (described in statistical reporting number 4202.92.3131)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(xx)(41)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(129)                           | 85 FR 48600 (Aug. 11, 2020)        | Parts suitable for use solely or principally with spark-ignition internal combustion piston engines of heading 8407 for marine propulsion (other than cast-iron parts, not advanced beyond cleaning, and machined only for the removal of fins, gates, sprues and risers or to permit location in finishing machinery or connecting rods) (described in statistical reporting number 8409.91.9290)  |
| 20(xx)(42)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(131)                           | 85 FR 48600 (Aug. 11, 2020)        | Parts suitable for use solely or principally with spark-ignition internal combustion piston engines of heading 8407 (other than for aircraft engines, cast-iron parts, not advanced beyond cleaning, and machined only for the removal of fins, gates, sprues and risers or to permit location in finishing machinery, for vehicles of subheading 8701.20 or heading 8702, 8703 or 8704, for marine propulsion engines or connecting rods) (described in statistical reporting number 8409.91.9990) |
| 20(xx)(43)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(140)                           | 85 FR 48600 (Aug. 11, 2020)        | DC blowers for use in motor vehicle climate control systems, each measuring no less than 323 mm by 122 mm by 102 mm and no more than 357 mm by 214 mm by 167 mm (described in statistical reporting number 8414.59.6540)  |
| 20(xx)(44)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(141)                           | 85 FR 48600 (Aug. 11, 2020)        | DC centrifugal radial blowers, each measuring not less than 345 mm by 122 mm by 102 mm and not more than 355 mm by 173 mm by 145 mm, of an output of 100 W to 285 W, and weighing at least 1.80 kg but no more than 2.72 kg (described in statistical reporting number 8414.59.6560)  |



| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(xx)(46)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(143)                           | 85 FR 48600 (Aug. 11, 2020)        | Parts of fans, consisting of column assemblies comprising telescoping steel tubes, each with a mechanism to lock the assembly at a desired length, and front grills of steel, the foregoing for use in the manufacture of household pedestal fans (described in statistical reporting number 8414.90.1040)   |
| 20(xx)(47)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(146)                           | 85 FR 48600 (Aug. 11, 2020)        | Retail computing scales, digital with tactile keypad or VGA display, with a maximum weighing capacity of not less than 10 kg but not more than 15.5 kg, measuring not less than 15 cm in width by 20 cm depth but not more than 41 cm in width by 32 cm in depth (described in statistical reporting number 8423.81.0030)  |
| 20(xx)(48)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(147)                           | 85 FR 48600 (Aug. 11, 2020)        | Compact portable shipping scales, of stainless steel, with a maximum weighing capacity of not more than 16 kg, with a digital display, weight below hook, and handles, measuring not less than 19 cm in width, not less than 21 cm in depth, not less than 3 cm in height but not more than 52 cm in width, not more than 41 cm in depth, not more than 13 cm in height (described in statistical reporting number 8423.81.0040) |
| 20(xx)(50)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(163)                           | 85 FR 48600 (Aug. 11, 2020)        | Parts of spark-ignition internal combustion piston engines or rotary engines, consisting of transmission shafts (including camshafts and crankshafts) and cranks, the foregoing of machined cast iron or other ferrous metals, other than for engines of vehicles of chapter 87 (described in statistical reporting number 8483.10.1050)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(xx)(52)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(164)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 38 W or more but not exceeding 74.5 W, each enclosed in a housing of plastics measuring 12 cm or more but not more than 17 cm in length, which pivots at the end of a support of plastics, the other end of which houses on-off-oscillate and speed controls (described in statistical reporting number 8501.40.2020) |
| 20(xx)(53)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(165)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 38 W or more but not exceeding 74.5 W, each enclosed in a housing of plastics measuring 13 cm or more but not more than 16 cm in length, which pivots at the end of a support of plastics, the other end of which houses on-off and speed controls (described in statistical reporting number 8501.40.2020)           |
| 20(xx)(54)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(166)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 38 W or more but not exceeding 74.5 W, each enclosed in a housing of plastics with on-off and speed controls (described in statistical reporting number 8501.40.2020)   |
| 20(xx)(55)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(167)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric motors other than gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 60 W or more but not exceeding 74.5 W, each with a rotary switch attached by insulated conductors, enclosed in a housing of base metals (described in statistical reporting number 8501.40.2040)  |
| 20(xx)(56)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(169)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric gear motors, single phase AC, of an output of 74.6 W or more but not exceeding 228 W, each with a spring, a coupling, and a locking connector, the assembly measuring not more than 30 cm in length, not more than 11 cm in width, not more than 16 cm in height (described in statistical reporting number 8501.40.4020)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(xx)(57)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(170)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 75 W or more but not exceeding 95 W, enclosed in a housing of plastics which pivots at the end of a support of plastics, the other end of which houses on-off-oscillate and speed controls (described in statistical reporting number 8501.40.4020)                                    |
| 20(xx)(58)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(172)                           | 85 FR 48600 (Aug. 11, 2020)        | Electric motors other than gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 75 W or more but not exceeding 110 W, each with a switch attached by insulated conductors, enclosed in a round housing of base metals with outside diameter measuring 85 mm or more but not exceeding 95 mm (described in statistical reporting number 8501.40.4040) |
| 20(xx)(61)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(179)                           | 85 FR 48600 (Aug. 11, 2020)        | Power adapters for a weather sensor or weather station display (described in statistical reporting number 8504.40.9580)  |
| 20(xx)(62)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(183)                           | 85 FR 48600 (Aug. 11, 2020)        | Robotic vacuum cleaners designed for residential use, each with a self-contained electric motor of a power not exceeding 50 W and dust bag/receptacle capacity not exceeding 1 L, whether or not shipped with accessories (described in statistical reporting number 8508.11.0000)   |
| 20(xx)(65)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(187)                           | 85 FR 48600 (Aug. 11, 2020)        | Fan-forced portable electric heaters, each with a ceramic heating element (described in statistical reporting number 8516.29.0030)   |
| 20(xx)(67)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(191)                           | 85 FR 48600 (Aug. 11, 2020)        | Portable countertop air fryers of a kind used for domestic purposes (described in statistical reporting number 8516.60.4070)   |
| 20(xx)(68)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(192)                           | 85 FR 48600 (Aug. 11, 2020)        | Tubular electric heating resistors (described in statistical reporting number 8516.80.8000)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(xx)(70)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(193)                           | 85 FR 48600 (Aug. 11, 2020)        | Closed-loop, digital, video security systems, each consisting of one 4-, 8- or 16-channel digital video recorder (DVR) that connects via cables to at least 2 but no more than 16 color television cameras in housings of plastics, cables and power adapters, put up for retail sale (described in statistical reporting number 8525.80.3010) |
| 20(xx)(77)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(203)                           | 85 FR 48600 (Aug. 11, 2020)        | Printed circuit board assemblies specially designed to control medical infusion pumps (described in statistical reporting number 8537.10.9170)   |
| 20(xx)(81)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(210)                           | 85 FR 48600 (Aug. 11, 2020)        | Ceramic electrical insulators of alumina for gas ignition electrode assemblies, each measuring at least 6.6 cm but not more than 11.5 cm in length and not more than 0.95 cm in diameter, weighing not more than 25 g (described in statistical reporting number 8546.20.0090)   |
| 20(xx)(82)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(213)                           | 85 FR 48600 (Aug. 11, 2020)        | Tire carrier attachments, roof racks, fender liners, side protective attachments, the foregoing of steel (described in statistical reporting number 8708.29.5060)  |
| 20(xx)(94)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(233)                           | 85 FR 48600 (Aug. 11, 2020)        | Parts and accessories of meteorological instruments and appliances, each consisting of a wind vane made of plastics and base metal weighing no more than 25 g (described in statistical reporting number 9015.90.0190)   |
| 20(xx)(95)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(234)                           | 85 FR 48600 (Aug. 11, 2020)        | Parts and accessories of meteorological instruments and appliances, each consisting of an assembly comprising 3 rotating wind cups, bearings, an internal aspirating fan and one or more solar panels (described in statistical reporting number 9015.90.0190)   |
| 20(xx)(96)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(235)                           | 85 FR 48600 (Aug. 11, 2020)        | Parts and accessories of meteorological instruments and appliances, each consisting of an assembly made of plastic and metal comprising 3 wind cups weighing no more than 35 g (described in statistical reporting number 9015.90.0190)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(xx)(99)                            | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(239)                           | 85 FR 48600 (Aug. 11, 2020)        | 60-minute mechanical count-down kitchen timers (described in statistical reporting number 9106.90.8500)   |
| 20(xx)(106)                           | 85 FR 23122 (Apr. 24, 2020)       | 20(iii)(261)                           | 85 FR 48600 (Aug. 11, 2020)        | Bed rails, each of which attaches to the side of a bed to prevent the occupant of the bed from rolling out, with a nylon mesh fabric cover (described in statistical reporting number 9403.90.8041)   |
| 20(yy)(1)                             | 85 FR 27489 (May 8, 2020)         | 20(iii)(10)                            | 85 FR 48600 (Aug. 11, 2020)        | 4819.50.4060  |
| 20(yy)(15)                            | 85 FR 27489 (May 8, 2020)         | 20(iii)(37)                            | 85 FR 48600 (Aug. 11, 2020)        | Disposable cloths of nonwoven textile materials impregnated, coated or covered with organic surface-active preparations for washing the skin, put up for retail sale (described in statistical reporting number 3401.30.5000)   |
| 20(yy)(16)                            | 85 FR 27489 (May 8, 2020)         | 20(iii)(41)                            | 85 FR 48600 (Aug. 11, 2020)        | Artificial graphite, in powder form (described in statistical reporting number 3801.10.5000)  |
| 20(yy)(17)                            | 85 FR 27489 (May 8, 2020)         | 20(iii)(43)                            | 85 FR 48600 (Aug. 11, 2020)        | Natural graphite, in powder form (described in statistical reporting number 3801.90.0000)   |
| 20(yy)(19)                            | 85 FR 27489 (May 8, 2020)         | 20(iii)(47)                            | 85 FR 48600 (Aug. 11, 2020)        | Plate-type supported catalysts (reaction accelerators) for reduction of nitrous oxides (NOx) with enhanced mercury oxidation, with oxides of base metals being the active substances, applied to a stainless steel mesh (described in statistical reporting number 3815.19.0000)    |
| 20(yy)(20)                            | 85 FR 27489 (May 8, 2020)         | 20(iii)(48)                            | 85 FR 48600 (Aug. 11, 2020)        | Plate-type supported catalysts (reaction accelerators) for reduction of nitrous oxides (NOx), with base metals being the active substances, applied on a titanium dioxide based ceramic material to a stainless steel mesh (described in statistical reporting number 3815.19.0000) |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(yy)(22)                            | 85 FR 27489 (May 8, 2020)         | 20(iii)(61)                            | 85 FR 48600 (Aug. 11, 2020)        | One-piece stoppers, of polypropiolactone ("PPL") or polylactic acid ("PLA") polymers, each comprising a disc-shaped top attached to a rounded, tapered plug with a protruding stirrer, measuring at least 55 mm but not more than 120.7 mm in overall length, and weighing at least 0.6 g but not more than 1.1 g each, of a kind used with lids for beverage containers (described in statistical reporting number 3923.50.0000) |
| 20(yy)(60)                            | 85 FR 27489 (May 8, 2020)         | 20(iii)(123)                           | 85 FR 48600 (Aug. 11, 2020)        | Kitchen and table implements of iron or steel, non-electric, including but not limited to peelers, graters and whisks (described in statistical reporting number 8205.51.3030)  |
| 20(yy)(71)                            | 85 FR 27489 (May 8, 2020)         | 20(iii)(138)                           | 85 FR 48600 (Aug. 11, 2020)        | Vacuum pumps, each composed of a cast aluminum body and an unalloyed steel cover, measuring not more than 85 mm in length, not more than 75 mm in width and not more than 96 mm in height, with a pump volume not more than 200 cc, for use in automotive braking systems (described in statistical reporting number 8414.10.0000)  |
| 20(yy)(106)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(209)                           | 85 FR 48600 (Aug. 11, 2020)        | Junction box assemblies, of a kind used in solar panels, incorporating three bypass diodes and two insulated cables fitted with connectors, for a voltage not more than 1,000 V (described in statistical reporting number 8544.42.9090)  |
| 20(yy)(113)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(215)                           | 85 FR 48600 (Aug. 11, 2020)        | Flange forgings of Society of Automotive Engineers ("SAE") 1035 carbon steel (described in statistical reporting number 8708.40.7570)   |
| 20(yy)(114)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(219)                           | 85 FR 48600 (Aug. 11, 2020)        | Front output shafts of Society of Automotive Engineers ("SAE") 1045 carbon steel suitable for use in automatic transmission systems for passenger motor vehicles (described in statistical reporting number 8708.99.6890)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(yy)(116)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(216)                           | 85 FR 48600 (Aug. 11, 2020)        | Hub forgings of Society of Automotive Engineers ("SAE") 1035 carbon steel (described in statistical reporting number 8708.40.7570)  |
| 20(yy)(117)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(217)                           | 85 FR 48600 (Aug. 11, 2020)        | Park gear blanks of Society of Automotive Engineers ("SAE") 1520 carbon steel (described in statistical reporting number 8708.40.7570)  |
| 20(yy)(118)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(218)                           | 85 FR 48600 (Aug. 11, 2020)        | Stator shafts of Stahlwerk Annahutte ZF34C grade carbon steel (described in statistical reporting number 8708.40.7570)  |
| 20(yy)(127)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(236)                           | 85 FR 48600 (Aug. 11, 2020)        | Flexible probes, each measuring at least 1 m but not more than 2 m in length, with a thermistor heat sensor in the tip which transmits heat data directly to a temperature monitor (described in statistical reporting number 9025.90.0600)                   |
| 20(yy)(128)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(237)                           | 85 FR 48600 (Aug. 11, 2020)        | Metal casings for, and metal parts of, thermometers of subheading 9025.11.40 designed for use in heating, ventilation and air conditioning ("HVAC") equipment (described in statistical reporting number 9025.90.0600)  |
| 20(yy)(132)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(242)                           | 85 FR 48600 (Aug. 11, 2020)        | Unassembled upholstered chairs with metal frames, other than household chairs, with seats and backs having a shell of plastics or wood and measuring at least 48 cm but not more than 61 cm in width (described in statistical reporting number 9401.71.0031) |
| 20(yy)(137)                           | 85 FR 27489 (May 8, 2020)         | 20(iii)(248)                           | 85 FR 48600 (Aug. 11, 2020)        | Bench frames of cast aluminum, each measuring at least 42 cm but not more than 79 cm in height, and at least 52 cm but not more than 62 cm in width (described in statistical reporting number 9401.90.5081)  |
| 20(aaa)(14)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(12)                            | 85 FR 48600 (Aug. 11, 2020)        | 5603.14.9090  |
| 20(aaa)(15)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(13)                            | 85 FR 48600 (Aug. 11, 2020)        | 5603.92.0090  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(aaa)(16)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(14)                            | 85 FR 48600 (Aug. 11, 2020)        | 5603.93.0090  |
| 20(aaa)(28)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(38)                            | 85 FR 48600 (Aug. 11, 2020)        | Organic surface-active liquid for washing the skin, not containing any aromatic or modified aromatic surface-active agent, put up for retail sale in a bottle of plastics with pump-action top, each bottle measuring not more than 17 cm in width, not more than 27 cm in height and not more than 6.5 cm in length and with a net weight of not more than 0.5 kg (described in statistical reporting number 3401.30.5000) |
| 20(aaa)(30)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(42)                            | 85 FR 48600 (Aug. 11, 2020)        | Artificial graphite, in powder or flake form, for manufacturing into the lithium-ion anode component of batteries (described in statistical reporting number 3801.10.5000)  |
| 20(aaa)(32)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(56)                            | 85 FR 48600 (Aug. 11, 2020)        | Refrigerant gas R-421B, comprising mixtures containing at least 83 percent but not more than 87 percent by weight of pentafluoroethane, at least 13 percent but not more than 17 percent by weight of 1,1,2,2-tetrafluoroethane, and at least 0.5 percent but not more than 2 percent by weight of lubricant (described in statistical reporting number 3824.78.0020)   |
| 20(aaa)(33)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(58)                            | 85 FR 48600 (Aug. 11, 2020)        | Silicon monoxide (SiO) (CAS No. 10097-28-6) in powder form (described in statistical reporting number 3824.99.9297)   |
| 20(aaa)(45)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(99)                            | 85 FR 48600 (Aug. 11, 2020)        | Rugs of hand-knotted pile, of nylon and polypropylene, measuring at least 1.2 m2 (described in statistical reporting number 5701.90.1010)   |



| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(aaa)(48)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(114)                           | 85 FR 48600 (Aug. 11, 2020)        | Equipment for scaffolding, comprising powder coated or galvanized welded tubular steel frames, braces, guard rail systems, components and accessories, the foregoing for assembly into frame and brace configurations measuring at least 10 cm but not more than 3.3 m in height and at least 4 cm but not more than 8.8 m in width, weighing not more than 91 kg, with a load capacity not more than 2,750 kg (described in statistical reporting number 7308.40.0000) |
| 20(aaa)(59)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(120)                           | 85 FR 48600 (Aug. 11, 2020)        | Tailor welded blanks of hot-formed steel sheets, cut into D-shaped form, each measuring not more than 2 mm by not more than 1.6 mm (described in statistical reporting number 7326.90.8688)   |
| 20(aaa)(64)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(128)                           | 85 FR 48600 (Aug. 11, 2020)        | Gun safes with digital keypads, of base metal, each weighing at least 148 kg but not more than 422 kg, measuring at least 141 cm but not more than 183 cm in height, at least 55 cm but not more than 107 cm in width and at least 40 cm but not more than 71 cm in depth (described in statistical reporting number 8303.00.0000)  |
| 20(aaa)(65)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(133)                           | 85 FR 48600 (Aug. 11, 2020)        | Wind turbine hubs (described in statistical reporting number 8412.90.9081)  |
| 20(aaa)(66)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(145)                           | 85 FR 48600 (Aug. 11, 2020)        | Upright coolers incorporating refrigerating equipment, each measuring not more than 77 cm in width, not more than 78 cm in depth and not more than 200 cm in height, weighing not more than 127 kg, with one swing-type transparent glass door (described in statistical reporting number 8418.50.0080)   |
| 20(aaa)(69)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(151)                           | 85 FR 48600 (Aug. 11, 2020)        | Portal cranes, each with a jib or operating arm to extend horizontally from the crane and run on rails, with the crane sitting on a pedestal, each crane with lifting capacity of at least 200 t (described in statistical reporting number 8426.30.0000)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(aaa)(76)                           | 85 FR 32094 (May 28, 2020)        | 20(iii)(246)                           | 85 FR 48600 (Aug. 11, 2020)        | Unassembled non-upholstered chairs with metal frames (other than household chairs) with seats and backs having a shell of plastics or wood and measuring at least 48 cm but not more than 61 cm in width (described in statistical reporting number 9401.79.0050)  |
| 20(pp)(1)                             | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(19)                            | 85 FR 48600 (Aug. 11, 2020)        | 8712.00.1510   |
| 20(pp)(2)                             | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(21)                            | 85 FR 48600 (Aug. 11, 2020)        | 8712.00.1550   |
| 20(pp)(4)                             | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(62)                            | 85 FR 48600 (Aug. 11, 2020)        | Endless synchronous belts of vulcanized rubber, molded polyurethane, neoprene, or welded urethane, each of an outside circumference of 60 cm or more but not more than 77 cm and a width of 2.5 cm or more but not exceeding 4 cm, weighing 0.18 kg or more but not exceeding 0.45 kg (described in statistical reporting number 4010.35.9000) |
| 20(pp)(7)                             | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(87)                            | 85 FR 48600 (Aug. 11, 2020)        | Woven fabric of 100 percent textured polyester filaments, dyed, weighing more than 170 g/m <sup>2</sup> , measuring not more than 310 cm in width (described in statistical reporting number 5407.52.2060)   |
| 20(pp)(8)                             | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(88)                            | 85 FR 48600 (Aug. 11, 2020)        | Woven fabric of synthetic filament yarn containing 85 percent or more by weight of textured polyester filaments, dyed, measuring 249 cm in width, weighing more than 170 g/m <sup>2</sup> (described in statistical reporting number 5407.52.2060)   |
| 20(pp)(9)                             | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(89)                            | 85 FR 48600 (Aug. 11, 2020)        | Woven dupioni fabric wholly of non-textured dyed polyester filaments, weighing not more than 170 g/m <sup>2</sup> , measuring not more than 310 cm in width (described in statistical reporting number 5407.61.9930)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(pp)(10)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(90)                            | 85 FR 48600 (Aug. 11, 2020)        | Woven fabric wholly of polyester, dyed, not flat, containing non-textured polyester filaments, weighing not more than 170 g/m <sup>2</sup> , measuring not over 310 cm in width (described in statistical reporting number 5407.61.9930)                              |
| 20(pp)(11)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(91)                            | 85 FR 48600 (Aug. 11, 2020)        | Woven fabric wholly of polyester, dyed, containing non-textured polyester filaments, weighing more than 170 g/m <sup>2</sup> , measuring not over 310 cm in width (described in statistical reporting number 5407.61.9935)  |
| 20(pp)(12)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(92)                            | 85 FR 48600 (Aug. 11, 2020)        | Woven fabric containing by weight 47 percent of nylon and 53 percent of polyester, dyed, containing textured filaments, weighing not more than 170 g/m <sup>2</sup> , measuring greater than 274 cm in width (described in statistical reporting number 5407.72.0015) |
| 20(pp)(13)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(95)                            | 85 FR 48600 (Aug. 11, 2020)        | Woven dyed fabrics wholly of spun polyester, weighing more than 240 g/m <sup>2</sup> and measuring not more than 310 cm in width (described in statistical reporting number 5512.19.0090)   |
| 20(pp)(14)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(96)                            | 85 FR 48600 (Aug. 11, 2020)        | Woven dyed 3-thread twill fabrics containing by weight 65 percent of polyester and 35 percent of cotton staple fibers, not napped, weighing more than 200 g/m <sup>2</sup> and exceeding 310 cm in width (described in statistical reporting number 5514.22.0020)     |
| 20(pp)(16)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(101)                           | 85 FR 48600 (Aug. 11, 2020)        | Woven dyed embroidery fabrics containing by weight 55 percent of polyester and 45 percent of nylon, weighing less than 115 g/m <sup>2</sup> and measuring 289 cm in width (described in statistical reporting number 5810.92.9080)                                    |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(pp)(17)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(113)                           | 85 FR 48600 (Aug. 11, 2020)        | Vault doors of stamped, welded and powder-coated 12-gauge carbon steel, each measuring 2 m or more in height, 81 cm or more but not more than 92 cm in width and 7.7 cm in thickness, each fitted with nine locking bolts, a slip-clutch handle and a programmable electric lock with keypad, with mechanical key override, presented with matching door frame (described in statistical reporting number 7308.30.5050)   |
| 20(pp)(32)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(130)                           | 85 FR 48600 (Aug. 11, 2020)        | Hydraulic valve lifters of steel with rollers, suitable for use solely or principally with spark-ignition internal combustion piston engines (other than for aircraft engines, marine propulsion engines or for vehicles of subheading 8701.20, or headings 8702, 8703 or 8704), each measuring 5 cm or more but not over 13 cm in length and 2.5 cm or more but not over 3.9 cm in diameter and weighing 135 g or more but not over 410 g (described in statistical reporting number 8409.91.9990) |
| 20(pp)(33)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(132)                           | 85 FR 48600 (Aug. 11, 2020)        | Solid valve lifters of steel, suitable for use solely or principally with spark-ignition internal combustion piston engines (other than for aircraft engines, marine propulsion engines or for vehicles of subheading 8701.20, or headings 8702, 8703 or 8704), each measuring 19 mm or more but not over 114 mm in length and 6 mm or more but not over 26 mm in diameter and weighing 20 g or more but not over 250 g (described in statistical reporting number 8409.91.9990)                    |
| 20(pp)(34)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(134)                           | 85 FR 48600 (Aug. 11, 2020)        | Hand pumps (other than for fuel or lubricants, not fitted or designed to be fitted with a metering device), each used to dispense a metered quantity of liquid soap or sanitizer (described in statistical reporting number 8413.20.0000)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(pp)(35)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(136)                           | 85 FR 48600 (Aug. 11, 2020)        | Lubricating pumps for internal combustion piston engines (described in statistical reporting number 8413.30.9060)  |
| 20(pp)(36)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(139)                           | 85 FR 48600 (Aug. 11, 2020)        | Hand- or foot-operated air pumps, each weighing 400 g or more but not over 3 kg, with a maximum pressure of 1.52 MPa, imported with adapters for valves for tires and inner tubes (described in statistical reporting number 8414.20.0000)   |
| 20(pp)(40)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(142)                           | 85 FR 48600 (Aug. 11, 2020)        | Portable air compressors, each delivering under 0.57 cubic meters per minute (described in statistical reporting number 8414.80.1685)  |
| 20(pp)(42)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(149)                           | 85 FR 48600 (Aug. 11, 2020)        | Winches powered by an electric motor, each with a pulling capacity of 4,300 kg or more but not exceeding 7,940 kg (described in statistical reporting number 8425.31.0100)   |
| 20(pp)(43)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(160)                           | 85 FR 48600 (Aug. 11, 2020)        | Ratchet tie down straps, each consisting of straps of textiles measuring not less than 25 mm and not more than 105 mm in width and not more than 12.5 m in length, steel hooks at opposite ends of the straps and a gear and pawl mechanism for adjusting the length of the whole (described in statistical reporting number 8479.89.9499) |
| 20(pp)(47)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(186)                           | 85 FR 48600 (Aug. 11, 2020)        | Projectors ("trumpets") of plastics for air horns (described in statistical reporting number 8512.90.2000)   |
| 20(pp)(48)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(194)                           | 85 FR 48600 (Aug. 11, 2020)        | Color video cameras for use with microscopes, each camera with C-mount lens mount, weighing not more than 87 g, measuring not more than 109 mm in length and 31 mm in diameter, presented with a cable measuring not more than 1.5 m in length (described in statistical reporting number 8525.80.3010)                                    |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(pp)(49)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(195)                           | 85 FR 48600 (Aug. 11, 2020)        | Digital color video cameras for use with microscopes, each camera with 10 megapixel resolution, weighing not more than 175 g, measuring 63 mm by 37 mm in length, presented with USB cable, reduction lens, eyepiece adapters, software CD and calibration slide (described in statistical reporting number 8525.80.3010) |
| 20(pp)(50)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(196)                           | 85 FR 48600 (Aug. 11, 2020)        | Digital color video cameras for use with microscopes, each camera with autofocus, C-mount lens mount, 1080p resolution, weighing not more than 450 g, measuring not more than 67 mm by 67 mm by 81 mm, presented with AC power adapter and power cable (described in statistical reporting number 8525.80.3010)           |
| 20(pp)(53)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(208)                           | 85 FR 48600 (Aug. 11, 2020)        | Insulated conductors, not of a kind used for telecommunications, for a voltage not exceeding 1,000 V, each with polyvinyl chloride (PVC) covers and connectors at each end in bundles of 3, 5 or 6 for use in connecting patients to monitoring devices (described in statistical reporting number 8544.42.9090)          |
| 20(pp)(54)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(211)                           | 85 FR 48600 (Aug. 11, 2020)        | Electrical insulators ("wire nuts") of plastics and steel (described in statistical reporting number 8546.90.0000)  |
| 20(pp)(57)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(226)                           | 85 FR 48600 (Aug. 11, 2020)        | Bicycle saddles, each having a cover of plastics, man-made textile fabrics or a combination of the two (described in statistical reporting number 8714.95.0000)   |
| 20(pp)(58)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(231)                           | 85 FR 48600 (Aug. 11, 2020)        | Compound binocular optical microscopes (other than stereoscopic microscopes and microscopes for photomicrography, cinemicrography or microprojection), each with magnification of 40X or more but not exceeding 1,000X, weighing not more than 3 kg (described in statistical reporting number 9011.80.0000)              |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(pp)(59)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(232)                           | 85 FR 48600 (Aug. 11, 2020)        | Compound optical microscopes (other than stereoscopic microscopes and microscopes for photomicrography, cinemicrography or microprojection), each with magnification of 40X or more but not exceeding 400X, weighing not more than 15 kg (described in statistical reporting number 9011.80.0000) |
| 20(pp)(60)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(241)                           | 85 FR 48600 (Aug. 11, 2020)        | Stackable upholstered metal chairs for religious worship settings, capable of interlocking with each other, each with attached holders and racks (described in statistical reporting number 9401.71.0031)   |
| 20(pp)(61)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(245)                           | 85 FR 48600 (Aug. 11, 2020)        | Hunting stands of steel or aluminum (including ladder stands, pod stands, hang-on stands and climbing stands), each of which allows one or more hunters to ascend to a height and sit while waiting for game animals to appear (described in statistical reporting number 9401.79.0035)           |
| 20(pp)(62)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(247)                           | 85 FR 48600 (Aug. 11, 2020)        | Parts of chairs of unfinished plywood, including bodies, legs and arms (described in statistical reporting number 9401.90.4080)   |
| 20(pp)(63)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(249)                           | 85 FR 48600 (Aug. 11, 2020)        | Chair frames of metal, each with integral bookshelf, capable of being stacked (described in statistical reporting number 9401.90.5081)  |
| 20(pp)(66)                            | 85 FR 549 (Jan. 6, 2020)          | 20(iii)(260)                           | 85 FR 48600 (Aug. 11, 2020)        | Baby crib liners, each composed of two pieces of multi-layer warp polyester knit mesh without any padding, one measuring no more than 29 cm by 283 cm and the other measuring no more than 29 cm by 210 cm (described in statistical reporting number 9403.90.6005)                               |
| 20(qq)(1)                             | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(17)                            | 85 FR 48600 (Aug. 11, 2020)        | 8425.31.0100  |
| 20(qq)(3)                             | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(22)                            | 85 FR 48600 (Aug. 11, 2020)        | Alaskan sole (yellowfin, rock or flathead), frozen in blocks, in cases with net weight of more than 4.5 kg (described in statistical reporting number 0304.83.5015)   |

| U.S. Note for Granted Exclusion | FRN Citation Granted Exclusion | U.S. Note for Extended Exclusion | FRN Citation Extended Exclusion | Exclusion Product Description   |
|---------------------------------|--------------------------------|----------------------------------|---------------------------------|---|
| 20(qq)(4)                       | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(4)                       | 85 FR 48600 (Aug. 11, 2020)     | 0304.83.5015  |
| 20(qq)(6)                       | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(5)                       | 85 FR 48600 (Aug. 11, 2020)     | 0304.83.5020  |
| 20(qq)(8)                       | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(28)                      | 85 FR 48600 (Aug. 11, 2020)     | King crab meat, frozen in blocks each weighing at least 1 kg but not more than 1.2 kg, in airtight containers (described in statistical reporting number 1605.10.2010)  |
| 20(qq)(9)                       | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(29)                      | 85 FR 48600 (Aug. 11, 2020)     | Snow crab meat ( <i>C. opilio</i> ), frozen in blocks, in airtight containers each with net weight of not more than 1.2 kg (described in statistical reporting number 1605.10.2022)   |
| 20(qq)(10)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(30)                      | 85 FR 48600 (Aug. 11, 2020)     | Dungeness crab meat, frozen in blocks, in airtight containers with net weight of not more than 1.2 kg (described in statistical reporting number 1605.10.2030)  |
| 20(qq)(11)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(31)                      | 85 FR 48600 (Aug. 11, 2020)     | Crab meat (other than King crab, Snow crab, Dungeness or swimming crabs), frozen in blocks, in airtight containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)   |
| 20(qq)(15)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(39)                      | 85 FR 48600 (Aug. 11, 2020)     | Laundry detergent powder, put up for retail sale, whether as powder or as water-soluble, pre-measured pods (described in statistical reporting number 3402.20.1100)   |
| 20(qq)(16)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(44)                      | 85 FR 48600 (Aug. 11, 2020)     | Herbicide consisting of 1,1'-dimethyl-4,4'-bipyridinium dichloride (CAS No. 1910-42-5) (Paraquat concentrate in liquid form) up to 45 percent concentration with application adjuvants (described in statistical reporting number 3808.93.1500)                               |
| 20(qq)(17)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(46)                      | 85 FR 48600 (Aug. 11, 2020)     | Supported nickel-based catalysts, of a kind used for methanation, desulfurization, hydrogenation, pre-reforming or reforming of organic chemicals or for protection of hydrotreating catalysts from arsine poisoning (described in statistical reporting number 3815.11.0000) |



| U.S. Note for Granted Exclusion | FRN Citation Granted Exclusion | U.S. Note for Extended Exclusion | FRN Citation Extended Exclusion | Exclusion Product Description   |
|---------------------------------|--------------------------------|----------------------------------|---------------------------------|---|
| 20(qq)(19)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(49)                      | 85 FR 48600 (Aug. 11, 2020)     | Supported catalysts for polymerization (described in statistical reporting number 3815.19.0000)   |
| 20(qq)(20)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(50)                      | 85 FR 48600 (Aug. 11, 2020)     | Supported catalysts of cuprous oxide and zinc oxide as the active ingredients for arsine removal (described in statistical reporting number 3815.19.0000)   |
| 20(qq)(22)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(51)                      | 85 FR 48600 (Aug. 11, 2020)     | Supported catalysts with copper carbonate or zinc carbonate as the active ingredients for low temperature desulfurization (described in statistical reporting number 3815.19.0000)  |
| 20(qq)(23)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(52)                      | 85 FR 48600 (Aug. 11, 2020)     | Supported catalysts with metal sulfide as the active substance for mercury removal (described in statistical reporting number 3815.19.0000)   |
| 20(qq)(24)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(53)                      | 85 FR 48600 (Aug. 11, 2020)     | Supported catalysts with molybdenum compounds as the active substance for hydrogenation (described in statistical reporting number 3815.19.0000)  |
| 20(qq)(25)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(54)                      | 85 FR 48600 (Aug. 11, 2020)     | Supported catalysts with zinc oxide absorbent as the active substance (described in statistical reporting number 3815.19.0000)  |
| 20(qq)(29)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(63)                      | 85 FR 48600 (Aug. 11, 2020)     | Seamless disposable gloves of acrylonitrile butadiene rubber, other than for surgical or medical use (described in statistical reporting number 4015.19.1010)   |
| 20(qq)(30)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(64)                      | 85 FR 48600 (Aug. 11, 2020)     | Seamless disposable gloves of natural rubber latex, other than for surgical or medical use (described in statistical reporting number 4015.19.1010)   |
| 20(qq)(37)                      | 85 FR 6674 (Feb. 5, 2020)      | 20(iii)(100)                     | 85 FR 48600 (Aug. 11, 2020)     | Rugs of 100 percent polyester or polypropylene, with brass grommets and stainless steel springs, each measuring at least 44 cm by 45 cm but not exceeding 56 cm by 59 cm (described in statistical reporting number 5705.00.2030) |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(qq)(41)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(109)                           | 85 FR 48600 (Aug. 11, 2020)        | Rear-view mirrors of convex glass for motor vehicles, each measuring not less than 1.75 mm and not more than 2.4 mm in thickness, not less than 125 mm and not more than 210 mm in length, not less than 97 mm and not more than 180 mm in width, weighing not less than 74 g and not more than 188 g (described in statistical reporting number 7009.10.0000)   |
| 20(qq)(42)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(110)                           | 85 FR 48600 (Aug. 11, 2020)        | Rear-view mirrors of flat glass for motor vehicles, each measuring not less than 1.75 mm but not more than 2.4 mm in thickness, not less than 163 mm but not more than 210 mm in length, not less than 107 mm but not more than 167 mm in width and weighing not less than 80 g but not more than 188 g (described in statistical reporting number 7009.10.0000) |
| 20(qq)(46)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(119)                           | 85 FR 48600 (Aug. 11, 2020)        | Cable hooks of steel, each weighing not less than 0.2 kg, measuring not less than 9 cm in length, not less than 5 cm in width and not less than 1 cm in height with spring loaded closure gate (described in statistical reporting number 7326.90.8688)  |
| 20(qq)(48)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(118)                           | 85 FR 48600 (Aug. 11, 2020)        | Awning stabilizer kits, each comprising two zinc-plated steel constructed spiral stakes with two rolls of cord or two pull-tension straps, weighing not more than 2 kg (described in statistical reporting number 7326.90.8688)  |
| 20(qq)(56)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(135)                           | 85 FR 48600 (Aug. 11, 2020)        | Hand pumps for liquids (other than those of subheading 8413.11 or 8413.19) of acrylonitrile butadiene styrene (ABS) plastics (described in statistical reporting number 8413.20.0000)  |
| 20(qq)(58)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(152)                           | 85 FR 48600 (Aug. 11, 2020)        | Sewing machines, not of the household type, not specially designed to join footwear soles to uppers; each such machine weighing 45 kg or more but not over 140 kg, suitable for sewing leather (described in statistical reporting number 8452.29.9000)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(qq)(70)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(162)                           | 85 FR 48600 (Aug. 11, 2020)        | Hand-operated valves of plastics, each comprising a bottle lid, drinking spout and flavor dispensing valve (described in statistical reporting number 8481.80.5090)  |
| 20(qq)(71)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(161)                           | 85 FR 48600 (Aug. 11, 2020)        | Hand-operated valves of acrylonitrile butadiene styrene (ABS) plastic, each a hand operated, quarter-turn ball valve, threaded at one end to receive male end of U.S. garden hose (described in statistical reporting number 8481.80.5090)   |
| 20(qq)(77)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(198)                           | 85 FR 48600 (Aug. 11, 2020)        | Printed circuit boards, each with a base wholly of plastics impregnated glass, not flexible, with 4 layers of copper (described in statistical reporting number 8534.00.0020)  |
| 20(qq)(78)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(200)                           | 85 FR 48600 (Aug. 11, 2020)        | Printed circuit boards, each with a base wholly of plastics impregnated glass, not flexible, with 2 layers of copper (described in statistical reporting number 8534.00.0040)  |
| 20(qq)(79)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(201)                           | 85 FR 48600 (Aug. 11, 2020)        | Floor-mounted receptacles conforming to types 1-15R, 5-15R or 5-20R of the National Electrical Manufacturers Association (NEMA) (described in statistical reporting number 8536.69.8000)   |
| 20(qq)(82)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(206)                           | 85 FR 48600 (Aug. 11, 2020)        | Extension cords of copper wire with polyvinyl chloride (PVC) sheaths, for a voltage not exceeding 1,000 V, each measuring at least 9 m but not longer than 16 m in length, with National Electrical Manufacturers Association (NEMA) type 5-15P plug on one end and NEMA type 5-15R receptacle on the other (described in statistical reporting number 8544.42.9010) |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(qq)(83)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(207)                           | 85 FR 48600 (Aug. 11, 2020)        | Extension cords of copper wire with polyvinyl chloride (PVC) sheaths, for a voltage not exceeding 1,000 V, each measuring at least 4 m but not longer than 16 m in length, with National Electrical Manufacturers Association (NEMA) type TT-30P plug on one end and NEMA type TT-30R receptacle on the other or NEMA type 14-50P plug on one end and NEMA type 14-50R receptacle on the other, with handles on each end in the shape of loops (described in statistical reporting number 8544.42.9090) |
| 20(qq)(85)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(212)                           | 85 FR 48600 (Aug. 11, 2020)        | Devices for mounting phones on motor vehicle interiors without a Universal Serial Bus (USB) charging port (described in statistical reporting number 8708.29.5060)  |
| 20(qq)(86)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(220)                           | 85 FR 48600 (Aug. 11, 2020)        | Hitches receivers of steel, not suitable for towing applications, each receiver to be clamped onto the rear bumper of a recreational vehicle, such bumpers being square in section and measuring not more than 102 mm on a side (described in statistical reporting number 8708.99.8180)  |
| 20(qq)(89)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(223)                           | 85 FR 48600 (Aug. 11, 2020)        | Bicycles, not motorized, having both wheels exceeding 63.5 cm in diameter, each having no more than three speeds and a coaster brake (described in statistical reporting number 8712.00.3500)   |
| 20(qq)(90)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(227)                           | 85 FR 48600 (Aug. 11, 2020)        | Wheeled trailers suitable for towing behind an adult bicycle, each comprising a frame of aluminum with a hitch mechanism, weighing not more than 17.5 kg, with a capacity of not more than 46 kg, with those trailers designated for carrying children meeting ASTM International standard F1975 (described in statistical reporting number 8716.40.0000)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(qq)(94)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(238)                           | 85 FR 48600 (Aug. 11, 2020)        | Hand-held card counters, each consisting of a plastic case containing a circuit board, rechargeable battery and controls, weighing less than 1 kg (described in statistical reporting number 9029.10.8000)   |
| 20(qq)(95)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(240)                           | 85 FR 48600 (Aug. 11, 2020)        | Upholstered seats with wooden frames other than chairs, not of cane, osier, bamboo or similar materials, each measuring at least 144 cm but no more than 214 cm in width, at least 81 cm but no more than 89 cm in height and at least 81 cm but not more than 163 cm in depth (described in statistical reporting number 9401.61.6011)  |
| 20(qq)(99)                            | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(251)                           | 85 FR 48600 (Aug. 11, 2020)        | Household furniture of metal and high-pressure laminated bamboo (other than ironing boards, furniture for infants or children or bed frames) (described in statistical reporting number 9403.20.0050)  |
| 20(qq)(100)                           | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(252)                           | 85 FR 48600 (Aug. 11, 2020)        | Lockers, of steel (described in statistical reporting number 9403.20.0050 or 9403.20.0078)   |
| 20(qq)(101)                           | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(253)                           | 85 FR 48600 (Aug. 11, 2020)        | Display racks of powder coated steel, whether or not on casters, whether or not with LED lighting, each measuring at least 60 cm but not more than 125 cm in length, at least 60 cm but not more than 125 cm in width and at least 130 cm but not more than 225 cm in height, with slanted shelves with a lip at the front edge of each that measures 3 cm or more in height (described in statistical reporting number 9403.20.0080 prior to July 1, 2019; described in statistical reporting number 9403.20.0081 effective July 1, 2019) |
| 20(qq)(103)                           | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(258)                           | 85 FR 48600 (Aug. 11, 2020)        | Household furniture of high-pressure laminated bamboo, other than babies' or children's furniture (described in statistical reporting number 9403.82.0015)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(qq)(104)                           | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(259)                           | 85 FR 48600 (Aug. 11, 2020)        | Bassinets, composed of polyester fabric with frames of steel tubing and partial solid wood rails, each measuring 86 cm by 51 cm by 86 cm, weighing 12 kg, with adjustable height legs on wheels (described in statistical reporting number 9403.89.6003)  |
| 20(qq)(118)                           | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(262)                           | 85 FR 48600 (Aug. 11, 2020)        | Outdoor lighting sets, each containing 6 or 10 polycarbonate bulb sockets (described in statistical reporting number 9405.40.8410)  |
| 20(qq)(119)                           | 85 FR 6674 (Feb. 5, 2020)         | 20(iii)(264)                           | 85 FR 48600 (Aug. 11, 2020)        | Flexible strips, each having embedded light-emitting diodes electrically connected to a molded electrical end connector, each strip wound onto a reel measuring not more than 25 cm in diameter and not more than 1.5 cm in width (described in statistical reporting number 9405.40.8440)                              |
| 20(ss)(1)                             | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(15)                            | 85 FR 48600 (Aug. 11, 2020)        | 6505.00.8015  |
| 20(ss)(5)                             | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(73)                            | 85 FR 48600 (Aug. 11, 2020)        | Stuff sacks with outer surface of textiles of man-made fibers, each measuring 77.5 cm or more but not over 127.7 cm in circumference, cylindrical in shape with a single compartment, a drawstring closure at one end and a strap at the other end of the sack (described in statistical reporting number 4202.92.3131) |
| 20(ss)(6)                             | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(74)                            | 85 FR 48600 (Aug. 11, 2020)        | Covers, of leather, designed for use with telecommunication devices (described in statistical reporting number 4205.00.8000)  |
| 20(ss)(13)                            | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(98)                            | 85 FR 48600 (Aug. 11, 2020)        | Non-woven fabrics of polyethylene terephthalate (PET), in sheets measuring not more than 160 cm by 250 cm, weighing more than 1,800 g/m <sup>2</sup> but not more than 3,000 g/m <sup>2</sup> (described in statistical reporting number 5603.94.9090)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(ss)(15)                            | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(103)                           | 85 FR 48600 (Aug. 11, 2020)        | Knitted or crocheted fabrics of artificial staple fibers derived from bamboo (described in statistical reporting number 6003.40.6000)  |
| 20(ss)(17)                            | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(116)                           | 85 FR 48600 (Aug. 11, 2020)        | Portable outdoor cooker kits, consisting of at least a burner and stand made from steel and/or cast iron, with an adjustable pressure regulator/hose combination for connecting the burner to a source of natural gas or a portable container of liquefied propane (described in statistical reporting number 7321.11.1060)                            |
| 20(ss)(21)                            | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(124)                           | 85 FR 48600 (Aug. 11, 2020)        | Automotive polishing attachments specially designed for use with a hand-held drill, each attachment including a 9.5 mm steel drive shaft, internal gear assembly, transverse hand brace and rotating disk components (described in statistical reporting number 8207.90.7585)  |
| 20(ss)(26)                            | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(153)                           | 85 FR 48600 (Aug. 11, 2020)        | Lottery ticket vending terminals, each terminal including a touchscreen monitor, barcode scanner, Wi-fi/Ethernet/Bluetooth connectivities, six USB ports, two LAN ports and two serial ports (described in statistical reporting number 8470.90.0190)  |
| 20(ss)(29)                            | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(171)                           | 85 FR 48600 (Aug. 11, 2020)        | AC motors, single phase, each of an output exceeding 74.6 W but not exceeding 335 W, measuring not more than 13 cm in diameter and not more than 13 cm in height and with a shaft measuring not more than 39 cm in length (described in statistical reporting number 8501.40.4040)   |
| 20(ss)(33)                            | 85 FR 9921 (Feb. 20, 2020)        | 20(iii)(176)                           | 85 FR 48600 (Aug. 11, 2020)        | Power supplies for cable networks, that convert 120 V/60 Hz AC input to either 63 V AC or 87 V AC output, each measuring not more than 200 mm by 425 mm by 270 mm and weighing not more than 27.5 kg, containing printed circuit board assemblies, a transformer, and an oil filled capacitor (described in statistical reporting number 8504.40.8500) |

## List 4A

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(rr)(1)                             | 85 FR 13970 (Mar. 10, 2020)       | 20(jjj)((3)                            | 85 FR 54616 (Sept. 2, 2020)        | 3401.19.0000  |
| 20(rr)(2)                             | 85 FR 13970 (Mar. 10, 2020)       | 20(jjj)((4)                            | 85 FR 54616 (Sept. 2, 2020)        | 3926.90.9910  |
| 20(rr)(3)                             | 85 FR 13970 (Mar. 10, 2020)       | 20(jjj)((5)                            | 85 FR 54616 (Sept. 2, 2020)        | 4015.19.0510  |
| 20(rr)(4)                             | 85 FR 13970 (Mar. 10, 2020)       | 20(jjj)((6)                            | 85 FR 54616 (Sept. 2, 2020)        | 4015.19.0550  |
| 20(rr)(5)                             | 85 FR 13970 (Mar. 10, 2020)       | 20(jjj)((7)                            | 85 FR 54616 (Sept. 2, 2020)        | 4818.90.0000 prior to July 1, 2020; 4818.90.0020 or 4818.90.0080 effective July 1, 2020   |
| 20(rr)(6)                             | 85 FR 13970 (Mar. 10, 2020)       | 20(jjj)((11)                           | 85 FR 54616 (Sept. 2, 2020)        | 6210.10.5010; 6210.10.5090  |
| 20(rr)(7)                             | 85 FR 13970 (Mar. 10, 2020)       | 20(jjj)((12)                           | 85 FR 54616 (Sept. 2, 2020)        | 6307.90.6090  |
| 20(rr)(8)                             | 85 FR 13970 (Mar. 10, 2020)       | 20(jjj)((13)                           | 85 FR 54616 (Sept. 2, 2020)        | 6307.90.6800  |
| 20(uu)(1)                             | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((20)                           | 85 FR 54616 (Sept. 2, 2020)        | Bowls of molded plastics, with clips for retaining guide wires during surgical procedures (described in statistical reporting number 3926.90.9990 prior to July 1, 2020; described in statistical reporting number 3926.90.9985 effective July 1, 2020)                                 |
| 20(uu)(2)                             | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((22)                           | 85 FR 54616 (Sept. 2, 2020)        | Disposable graduated medicine dispensing cups of plastics (described in statistical reporting number 3926.90.9990 prior to July 1, 2020; described in statistical reporting number 3926.90.9985 effective July 1, 2020)   |
| 20(uu)(4)                             | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((23)                           | 85 FR 54616 (Sept. 2, 2020)        | Single-use sterile drapes and covers of plastics, of a kind used to protect the sterile field in surgical operating rooms (described in statistical reporting number 3926.90.9990 prior to July 1, 2020; described in statistical reporting number 3926.90.9985 effective July 1, 2020) |



| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(uu)(5)                             | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((24)                           | 85 FR 54616 (Sept. 2, 2020)        | Sterile decanters of polystyrene plastics, each of a kind used to transfer aseptic fluids or medication to and from sterile bags, vials or glass containers (described in statistical reporting number 3926.90.9990 prior to July 1, 2020; described in statistical reporting number 3926.90.9985 effective July 1, 2020) |
| 20(uu)(6)                             | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((43)                           | 85 FR 54616 (Sept. 2, 2020)        | Cold packs consisting of a single-use, instant, endothermic chemical reaction cold pack combined with a textile exterior lining (described in statistical reporting number 6307.90.9889 prior to July 1, 2020; described in statistical reporting number 6307.90.9891 effective July 1, 2020)                             |
| 20(uu)(7)                             | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((44)                           | 85 FR 54616 (Sept. 2, 2020)        | Disposable shoe and boot covers of man-made fiber fabrics (described in statistical reporting number 6307.90.9889 prior to July 1, 2020; described in statistical reporting number 6307.90.9891 effective July 1, 2020)   |
| 20(uu)(9)                             | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((45)                           | 85 FR 54616 (Sept. 2, 2020)        | Face masks and particulate facepiece respirators, of textile fabrics (described in statistical reporting number 6307.90.9889 prior to July 1, 2020; described in statistical reporting number 6307.90.9845, 6307.90.9850, 6307.90.9870, or 6307.90.9875 effective July 1, 2020)   |
| 20(uu)(11)                            | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((46)                           | 85 FR 54616 (Sept. 2, 2020)        | Hot packs of textile material, single-use (exothermic chemical reaction) (described in statistical reporting number 6307.90.9889 prior to July 1, 2020; described in statistical reporting number 6307.90.9891 effective July 1, 2020)  |
| 20(uu)(12)                            | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((47)                           | 85 FR 54616 (Sept. 2, 2020)        | Laparotomy sponges of cotton (described in statistical reporting number 6307.90.9889 prior to July 1, 2020; described in statistical reporting number 6307.90.9891 effective July 1, 2020)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(uu)(14)                            | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((48)                           | 85 FR 54616 (Sept. 2, 2020)        | Single-use blood pressure cuff sleeves of textile materials (described in statistical reporting number 6307.90.9889 prior to July 1, 2020; described in statistical reporting number 6307.90.9891 effective July 1, 2020)   |
| 20(uu)(15)                            | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((49)                           | 85 FR 54616 (Sept. 2, 2020)        | Single-use medical masks of textile material (described in statistical reporting number 6307.90.9889 prior to July 1, 2020; described in statistical reporting number 6307.90.9845, 6307.90.9850, or 6307.90.9870 effective July 1, 2020)   |
| 20(uu)(16)                            | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((50)                           | 85 FR 54616 (Sept. 2, 2020)        | Single-use stethoscope covers (described in statistical reporting number 6307.90.9889 prior to July 1, 2020; described in statistical reporting number 6307.90.9891 effective July 1, 2020)   |
| 20(uu)(17)                            | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((51)                           | 85 FR 54616 (Sept. 2, 2020)        | Woven gauze sponges of cotton in square or rectangular sizes (described in statistical reporting number 6307.90.9889 prior to July 1, 2020; described in statistical reporting number 6307.90.9891 effective July 1, 2020)  |
| 20(uu)(19)                            | 85 FR 15244 (Mar. 17, 2020)       | 20(jjj)((62)                           | 85 FR 54616 (Sept. 2, 2020)        | Protective Articles (described in statistical reporting number 9004.90.0000 prior to January 1, 2021; described in statistical reporting number 9004.90.0010 or 9004.90.0090 effective January 1, 2021)   |
| 20(ww)(1)                             | 85 FR 17936 (Mar. 31, 2020)       | 20(jjj)((1)                            | 85 FR 54616 (Sept. 2, 2020)        | 0505.10.0050  |
| 20(ww)(6)                             | 85 FR 17936 (Mar. 31, 2020)       | 20(jjj)((21)                           | 85 FR 54616 (Sept. 2, 2020)        | Coverings, of plastics, designed to fit over wound sites or casts thereby forming a protective seal for keeping the covered area dry and debris free while showering or bathing (described in statistical reporting number 3926.90.9990 prior to July 1, 2020; described in statistical reporting number 3926.90.9985 effective July 1, 2020) |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(ww)(12)                            | 85 FR 17936 (Mar. 31, 2020)       | 20(jjj)(58)                            | 85 FR 54616 (Sept. 2, 2020)        | Apparatus suitable for wearing on the wrist, having time-display functions, each article having an accelerometer and being capable of displaying and transmitting data sent to it by a network (e.g., portable ADP unit, LAN or cellular network) (described in statistical reporting number 8517.62.0090)  |
| 20(zz)(2)                             | 85 FR 28693 (May 13, 2020)        | 20(jjj)(14)                            | 85 FR 54616 (Sept. 2, 2020)        | 6506.10.6030  |
| 20(zz)(7)                             | 85 FR 28693 (May 13, 2020)        | 20(jjj)(59)                            | 85 FR 54616 (Sept. 2, 2020)        | Tracking devices, each device measuring not more than 86 mm on a side (if rectangular) or 28 mm in diameter (if circular) and not more than 7.5 mm in thickness, not weighing more than 15 g, designed to be attached to another article and to establish a Bluetooth connection with another device for the purposes of providing relative location information (described in statistical reporting number 8517.62.0090) |
| 20(bbb)(1)                            | 85 FR 35975 (Jun. 12, 2020)       | 20(jjj)(8)                             | 85 FR 54616 (Sept. 2, 2020)        | 5210.11.4040  |
| 20(bbb)(2)                            | 85 FR 35975 (Jun. 12, 2020)       | 20(jjj)(9)                             | 85 FR 54616 (Sept. 2, 2020)        | 5210.11.6020  |
| 20(bbb)(10)                           | 85 FR 35975 (Jun. 12, 2020)       | 20(jjj)(33)                            | 85 FR 54616 (Sept. 2, 2020)        | Gloves, containing less than 50 percent by weight of textile fibers, coated with rubber or plastics designed for enhanced grip (described in statistical reporting number 6116.10.6500)   |
| 20(bbb)(19)                           | 85 FR 35975 (Jun. 12, 2020)       | 20(jjj)(61)                            | 85 FR 54616 (Sept. 2, 2020)        | Television liquid crystal display ("LCD") main board assemblies, each consisting of a printed circuit board containing a television tuner and audio and video components (described in statistical reporting number 8529.90.1300)   |
| 20(bbb)(23)                           | 85 FR 35975 (Jun. 12, 2020)       | 20(jjj)(64)                            | 85 FR 54616 (Sept. 2, 2020)        | Liquid crystal display ("LCD") modules, not capable of receiving or processing a broadcast television signal, each with a video display diagonal measuring not more than 191 cm (described in statistical reporting number 9013.80.9000)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(bbb)(24)                           | 85 FR 35975 (Jun. 12, 2020)       | 20(jjj)((65)                           | 85 FR 54616 (Sept. 2, 2020)        | Watch cases of stainless steel and titanium, not gold- or silver-plated, unassembled, each measuring at least 20 mm but not more than 48 mm in diameter and weighing at least 50 g but not more than 250 g (described in statistical reporting number 9111.20.4000)  |
| 20(bbb)(26)                           | 85 FR 35975 (Jun. 12, 2020)       | 20(jjj)((66)                           | 85 FR 54616 (Sept. 2, 2020)        | Watch dials of brass, each measuring at least 18 mm but not exceeding 50 mm in width and weighing at least 10 g but not more than 20 g (described in statistical reporting number 9114.30.4000)  |
| 20(bbb)(29)                           | 85 FR 35975 (Jun. 12, 2020)       | 20(jjj)((76)                           | 85 FR 54616 (Sept. 2, 2020)        | Parts of child safety seats (described in statistical reporting number 9401.90.1085)   |
| 20(bbb)(33)                           | 85 FR 35975 (Jun. 12, 2020)       | 20(jjj)((84)                           | 85 FR 54616 (Sept. 2, 2020)        | Tufts of swine hair bristles, oriented with the soft feather tipped ends of the hairs facing up and the hard, root ends of the hairs facing down, with the root ends of the hairs glued together to form a round bottom not more than 7 mm in diameter, for incorporation into brushes (described in statistical reporting number 9603.90.8050)  |
| 20(ddd)(1)                            | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((15)                           | 85 FR 54616 (Sept. 2, 2020)        | Cynomolgus macaques ( <i>Macaca fascicularis</i> ) (also known as crab-eating macaques or long-tailed macaques) and rhesus macaques ( <i>Macaca mulatta</i> ), captive bred for research (described in statistical reporting number 0106.11.0000)  |
| 20(ddd)(2)                            | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((16)                           | 85 FR 54616 (Sept. 2, 2020)        | Feathers of a kind used for stuffing, of ducks or geese, not further worked than cleaned, disinfected or treated for preservation, the foregoing other than feathers meeting both test standards 4 and 10.1 of Federal Standard 148a promulgated by the General Services Administration (described in statistical reporting number 0505.10.0060) |
| 20(ddd)(5)                            | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((18)                           | 85 FR 54616 (Sept. 2, 2020)        | Shower heads of plastics, designed to be fixed, hand-held, height-adjustable or combinations thereof, and parts of such shower heads (described in statistical reporting number 3924.90.5650)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description   |
|---------------------------------------|-----------------------------------|--|------------------------------------|---|
| 20(ddd)(10)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((25)                           | 85 FR 54616 (Sept. 2, 2020)        | Wallpaper, other than described in subheading 4814.20.00, with floral, landscape, figure or abstract designs or solid backgrounds painted by hand, whether or not with applications of metal leaf (described in statistical reporting number 4814.90.0200)  |
| 20(ddd)(12)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((26)                           | 85 FR 54616 (Sept. 2, 2020)        | Printed art and pictorial books, each valued at least \$5 but not more than \$17, each measuring at least 22 cm but not more than 39 cm in height and at least 14 cm but not more than 32 cm in width, weighing not more than 3 kg, with die-cut or tipped-in extra pages and bound with foil stamping or with silkscreen on the cover stock (described in statistical reporting number 4901.99.0065) |
| 20(ddd)(13)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((40)                           | 85 FR 54616 (Sept. 2, 2020)        | Dust covers of knitted polyester fabric, designed for bed mattresses and pillows (described in statistical reporting number 6302.10.0020)   |
| 20(ddd)(20)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((52)                           | 85 FR 54616 (Sept. 2, 2020)        | Athletic, recreational and sporting headgear comprising shells of polyvinyl chloride, polycarbonate plastic or acrylonitrile butadiene styrene, each with an inner liner of expanded polypropylene or expanded polystyrene, designed for use with bicycles (described in statistical reporting number 6506.10.6045)   |
| 20(ddd)(21)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((53)                           | 85 FR 54616 (Sept. 2, 2020)        | Bright C1060 galvanized round wire, containing by weight 0.6 percent or more of carbon, measuring at least 0.034 mm but not more than 0.044 mm in diameter (described in statistical reporting number 7217.20.4530)   |
| 20(ddd)(25)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((54)                           | 85 FR 54616 (Sept. 2, 2020)        | Sewing machines of the household type, each weighing not more than 22.5 kg, having a touch screen control, a sewing light, a presser foot lifter and an automatic needle threader (described in statistical reporting number 8452.10.0090)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(ddd)(26)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(55)                            | 85 FR 54616 (Sept. 2, 2020)        | Gasoline-powered earth-drilling power augers, each weighing not more than 16 kg, having a gasoline engine of a cylinder displacement not more than 55 cc and an output shaft connectable to an auger bit, whether or not presented with one or more auger bits (described in statistical reporting number 8467.89.5060)            |
| 20(ddd)(27)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(56)                            | 85 FR 54616 (Sept. 2, 2020)        | Gasoline powered or propane-powered engines of a cylinder displacement not more than 80 cc, each machine including a fitted auger bit specially designed for cutting through ice covers of bodies of water (described in statistical reporting number 8467.89.5090)  |
| 20(ddd)(28)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(57)                            | 85 FR 54616 (Sept. 2, 2020)        | Parts of hand-operated faucets, of copper, each weighing not more than 5 kg (described in statistical reporting number 8481.90.1000)   |
| 20(ddd)(33)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(63)                            | 85 FR 54616 (Sept. 2, 2020)        | Prism binoculars, other than for use with infrared light, comprising a plastic, aluminum or magnesium alloy body with a rubber jacket, with magnification ranging from at least 4X but not more than 22X and aperture ranging from at least 21 mm but not more than 56 mm (described in statistical reporting number 9005.10.0040) |
| 20(ddd)(35)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(67)                            | 85 FR 54616 (Sept. 2, 2020)        | Acoustic upright pianos, other than used, containing a case measuring less than 111.76 cm in height (described in statistical reporting number 9201.10.0011)   |
| 20(ddd)(36)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(68)                            | 85 FR 54616 (Sept. 2, 2020)        | Acoustic upright pianos (other than used), each containing a case measuring 111.76 cm or more, but less than 121.92 cm in height (described in statistical reporting number 9201.10.0021)  |
| 20(ddd)(37)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(69)                            | 85 FR 54616 (Sept. 2, 2020)        | Acoustic upright pianos (other than used), each containing a case measuring 121.92 cm or more but less than 129.54 in height (described in statistical reporting number 9201.10.0031)  |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(ddd)(38)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((70)                           | 85 FR 54616 (Sept. 2, 2020)        | Acoustic upright pianos (other than used), each containing a case measuring 129.54 cm or more in height (described in statistical reporting number 9201.10.0041)                       |
| 20(ddd)(39)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((71)                           | 85 FR 54616 (Sept. 2, 2020)        | Acoustic grand pianos (other than used), each containing a case measuring 152.4 cm or more but less than 167.64 cm in length (described in statistical reporting number 9201.20.0021)  |
| 20(ddd)(40)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((72)                           | 85 FR 54616 (Sept. 2, 2020)        | Acoustic grand pianos (other than used), each containing a case measuring 167.64 cm or more but less than 180.34 cm in length (described in statistical reporting number 9201.20.0031) |
| 20(ddd)(41)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((73)                           | 85 FR 54616 (Sept. 2, 2020)        | Acoustic grand pianos (other than used), each containing a case measuring 180.34 cm or more but less than 195.58 cm in length (described in statistical reporting number 9201.20.0041) |
| 20(ddd)(42)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((74)                           | 85 FR 54616 (Sept. 2, 2020)        | Acoustic grand pianos (other than used), each containing a case measuring 195.58 cm or more in length (described in statistical reporting number 9201.20.0051)                         |
| 20(ddd)(44)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((75)                           | 85 FR 54616 (Sept. 2, 2020)        | Harp sharpening levers of steel (described in statistical reporting number 9209.92.8000)   |
| 20(ddd)(46)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((77)                           | 85 FR 54616 (Sept. 2, 2020)        | Parts of child safety seats incorporating springs (described in statistical reporting number 9401.90.1085)   |
| 20(ddd)(47)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((78)                           | 85 FR 54616 (Sept. 2, 2020)        | Pillow shells of cotton, each filled with goose or duck down (described in statistical reporting number 9404.90.1000)  |
| 20(ddd)(48)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((79)                           | 85 FR 54616 (Sept. 2, 2020)        | Quilted pillow shells of cotton (described in statistical reporting number 9404.90.1000)   |
| 20(ddd)(49)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((80)                           | 85 FR 54616 (Sept. 2, 2020)        | Quilted pillow shells of man-made fibers (described in statistical reporting number 9404.90.2000)  |
| 20(ddd)(51)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)((82)                           | 85 FR 54616 (Sept. 2, 2020)        | Arrowheads of metal (described in statistical reporting number 9506.99.0520)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(ddd)(53)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(85)                            | 85 FR 54616 (Sept. 2, 2020)        | Paintings, drawings or pastels, each executed entirely by hand (the foregoing other than drawings of heading 4906 and other than hand-painted or hand-decorated manufactured articles), each measuring not more than 300 cm by not more than 2,000 cm (described in statistical reporting number 9701.10.0000)   |
| 20(ddd)(57)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(86)                            | 85 FR 54616 (Sept. 2, 2020)        | Postage stamps (described in statistical reporting number 9704.00.0000)  |
| 20(ddd)(59)                           | 85 FR 41658 (Jul. 10, 2020)       | 20(jjj)(87)                            | 85 FR 54616 (Sept. 2, 2020)        | Collectors' pieces of mineralogical interest (described in statistical reporting number 9705.00.0085)  |
| 20(fff)(1)                            | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)(2)                             | 85 FR 54616 (Sept. 2, 2020)        | 0505.10.0055   |
| 20(fff)(2)                            | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)(10)                            | 85 FR 54616 (Sept. 2, 2020)        | 5504.10.0000   |
| 20(fff)(12)                           | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)(17)                            | 85 FR 54616 (Sept. 2, 2020)        | Sodium alginate resins (CAS No. 9005-38-3) (described in statistical reporting number 3913.10.0000)  |
| 20(fff)(17)                           | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)(19)                            | 85 FR 54616 (Sept. 2, 2020)        | Sets of three polyvinyl chloride-coated foam pads, of plastics, of a kind used to assemble flotation work vests by passing adjustable straps with buckles through slots in the pads, each set comprising two irregularly shaped front/side pads and one rectangular back pad (described in statistical reporting number 3926.90.9990 prior to July 1, 2020; described in statistical reporting number 3926.90.9985 effective July 1, 2020) |
| 20(fff)(18)                           | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)(27)                            | 85 FR 54616 (Sept. 2, 2020)        | Women's knit robes in chief weight of cotton, with hook and loop tab closure (described in statistical reporting number 6108.91.0030)  |
| 20(fff)(19)                           | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)(28)                            | 85 FR 54616 (Sept. 2, 2020)        | Babies' gowns of cotton knitted interlock fabric, each with sleeves, neck opening and elasticized bottom opening (described in statistical reporting number 6111.20.6070)  |
| 20(fff)(20)                           | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)(30)                            | 85 FR 54616 (Sept. 2, 2020)        | Babies' sleep sacks, knitted, of cotton, each with neck opening and two-way zipper (described in statistical reporting number 6111.20.6070)  |



| U.S. Note for Granted Exclusion | FRN Citation Granted Exclusion | U.S. Note for Extended Exclusion | FRN Citation Extended Exclusion | Exclusion Product Description  |
|---------------------------------|--------------------------------|----------------------------------|---------------------------------|--|
| 20(fff)(21)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((29)                     | 85 FR 54616 (Sept. 2, 2020)     | Babies' sleep sacks of cotton interlock knitted fabric, sleeveless, each with neck opening and two-way zipper (described in statistical reporting number 6111.20.6070)                           |
| 20(fff)(22)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((31)                     | 85 FR 54616 (Sept. 2, 2020)     | Babies' swaddle sacks of cotton knitted interlock fabric, each with sleeves and mitten cuffs (described in statistical reporting number 6111.20.6070)  |
| 20(fff)(23)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((32)                     | 85 FR 54616 (Sept. 2, 2020)     | Babies' blanket sleepers of polyester knitted fleece, sleeveless, each with two-way zipper (described in statistical reporting number 6111.30.5015)  |
| 20(fff)(24)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((34)                     | 85 FR 54616 (Sept. 2, 2020)     | Men's and boys' cotton terry bathrobes with muslin trim, each beltless but featuring a hook-and-loop tab (described in statistical reporting number 6207.91.1000)                                |
| 20(fff)(25)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((35)                     | 85 FR 54616 (Sept. 2, 2020)     | Women's cotton terry bathrobes with muslin trim, each beltless but featuring a hook-and-loop tab (described in statistical reporting number 6208.91.1010)  |
| 20(fff)(26)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((36)                     | 85 FR 54616 (Sept. 2, 2020)     | Girls' cotton terry bathrobes with muslin trim, each beltless but featuring a hook-and-loop tab (described in statistical reporting number 6208.91.1020)   |
| 20(fff)(27)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((37)                     | 85 FR 54616 (Sept. 2, 2020)     | Girls' fleece bathrobes, each beltless but featuring a hook-and-loop tab (described in statistical reporting number 6208.92.0020)  |
| 20(fff)(28)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((38)                     | 85 FR 54616 (Sept. 2, 2020)     | Blankets (other than electric blankets) of cotton, woven, each measuring at least 116 cm but not more than 118 cm on an edge (described in statistical reporting number 6301.30.0010)            |
| 20(fff)(29)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((39)                     | 85 FR 54616 (Sept. 2, 2020)     | Blankets (other than electric blankets) of cotton, other than woven, each measuring at least 116 cm but not more than 118 cm on an edge (described in statistical reporting number 6301.30.0020) |
| 20(fff)(30)                     | 85 FR 44563 (Jul. 23, 2020)    | 20(jjj)((41)                     | 85 FR 54616 (Sept. 2, 2020)     | Crib sheets of muslin cotton, fitted with elastic (described in statistical reporting number 6302.31.9020)   |

| U.S. Note for<br>Granted<br>Exclusion | FRN Citation<br>Granted Exclusion | U.S. Note for<br>Extended<br>Exclusion | FRN Citation<br>Extended Exclusion | Exclusion Product Description  |
|---------------------------------------|-----------------------------------|--|------------------------------------|--|
| 20(fff)(31)                           | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)((42)                           | 85 FR 54616 (Sept. 2, 2020)        | Protective covers of cotton for pillows, not knitted or crocheted, of cotton, not napped or printed, each with full encasement construction and zipper opening (described in statistical reporting number 6302.31.9040)              |
| 20(fff)(48)                           | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)((60)                           | 85 FR 54616 (Sept. 2, 2020)        | Wireless communication apparatus that can receive audio data to be distributed to wireless speakers (described in statistical reporting number 8518.22.0000)   |
| 20(fff)(56)                           | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)((81)                           | 85 FR 54616 (Sept. 2, 2020)        | Balance trainers of plastics, each measuring not more than 120 cm in length by 45 cm in width by 27 cm in height, containing an air bladder (described in statistical reporting number 9506.91.0030)                                 |
| 20(fff)(59)                           | 85 FR 44563 (Jul. 23, 2020)       | 20(jjj)((83)                           | 85 FR 54616 (Sept. 2, 2020)        | Brushes of natural goat hair bristles, which are in lengths of at least 30 mm but not more than 33 mm, enclosed in a plastic protective holder, for cleaning optical lenses (described in statistical reporting number 9603.90.8050) |